

Hebron
ExxonMobil Canada Properties
Suite 1000, Cabot Place
100 New Gower Street
St. John's, Newfoundland A1C 6K3



Dec 4th, 2017

File Code: 11.4B.3.3

Mr. Darrell Gover
Canada-Newfoundland and Labrador Offshore Petroleum Board
5th Floor, TD Building
140 Water St.
St. John's, NL
A1C 6H6

Attention: Mr. Darrell Gover

**Subject: 2017 Hebron – Environmental Assessment (EA) Amendment to the September 2011
Hebron Project Comprehensive Study Report (CSR)**

Dear Mr. Gover:

In support of future operational activities and in accordance with guidance provided by the Environmental Affairs staff, enclosed is the proposed 2017 EA Amendment to the September 2011 Hebron Project Comprehensive Study Report (CSR).

This 2017 EA Amendment describes and assesses a proposed modification to the Project as compared to that which was originally assessed, approved and implemented pursuant to EA review and approval process. In particular, this planned modification relates to an increased discharge of total residual chlorine in order to maintain operational integrity of critical platform drilling and safety systems.

Should you have any questions, or require further information, please contact Craig Hollett, Environmental Advisor at 709 273-1450 .

Yours truly,


Carolyn Barnes
Hebron SSHE Supervisor

Cc D. Burley, J.O'Keefe (C-NLOPB)