

8.0 Literature Cited

- Adams, J. and S. Halchuk. 2003. Fourth Generation Seismic Hazard Maps of Canada: Values for over 650 Canadian Localities Intended for the 2005 National Building Code of Canada, Geological Survey of Canada, Open File 4459, 155 p.
- Ainley, D.G., C.R. Grau, T.E. Roudybush, S.H. Morrell and J.M. Utts. 1981. Petroleum ingestion reduces reproduction in Cassin's Auklets. *Marine Pollution Bulletin*, 12: 314-317.
- Albers, P.H. 1977. Effects of external applications of fuel oil on hatchability of Mallard Eggs. pp. 158-163. In: D.A. Wolfe (ed.), *Fate and effects of petroleum hydrocarbons in marine ecosystems and organisms*. Pergamon Press, Oxford. 478 p.
- Albers, P.H. 1978. The effects of petroleum on different stages of incubation in Bird Eggs. *Bulletin of Environmental Contamination and Toxicology*, 19: 624-630.
- Albers, P.H. and M.L. Gay. 1982. Unweathered and weathered aviation kerosene: chemical characterization and effects on hatching success of Duck Eggs. *Bulletin of Environmental Contamination and Toxicology*, 28: 430-434
- Albers, P.H. and R.C. Szaro. 1978. Effects of No. 2 fuel oil on Common Eider Eggs. *Marine Pollution Bulletin*, 9: 138-139.
- Amos, B., D. Bloch, G. Desportes, T.M.O. Majerus, D.R. Bancroft, J.A. Barrett and G.A. Dover. 1993. A review of molecular evidence relating to social organisation and breeding system in the long-finned pilot whale. *Rep. Int. Whal. Commn Spec. Iss.* 14:209-217.
- Andersen, S. 1970. Auditory sensitivity of the harbour porpoise *Phocoena phocoena*. pp. 255-259. In: Pilleri, G., ed. *Investigations on Cetacea. Volume II*. Berne-Bümpliz, Berne, Switzerland.
- Anderson, C.M. and R.P. LaBelle. 2001. Update of Comparative Occurrence Rates for Offshore Spills. U.S. Minerals Management Service.
- Anderson, J.W., J.M. Neff, B.A. Cox, H.E. Tatem and G.M Hightower. 1974. Characteristics of dispersions and water soluble extracts of crude and refined oils and their toxicity to estuarine crustaceans and fish. *Marine Biology*, 27: 75-88.
- Anon. 1970. Report of the Task Force-Operation Oil-to the Minister of Transportation, Information Canada 2:46-47.
- Anon. 1971. Arrow oil spill. Smithsonian Institute, Centre for Short-lived Phenomenon Annual Report, 1970 Event No. 15-70:134-136.
- Archer, F.I., 2nd. 2002. Striped dolphin *Stenella coeruleoalba*. pp. 1201-1203. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego, CA. 1414 p.
- Armstrong, D.A., P.A. Dinnel, J.M. Orensan, J.L. Armstrong, T.L. McDonald, R.F. Cusimano, R.S. Nemeth, M.L. Landolt, J.R. Skalski, R.F. Lee and R.J. Huggett. 1995. Status of selected bottomfish and crustacean species in Prince William Sound following the *Exxon Valdez* Oil Spill. pp. 485-547. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.), *Exxon Valdez oil spill: fate and effects in Alaskan waters*, ASTM STP 1219. American Society for Testing and Materials, Philadelphia. 965 p.
- Armsworthy, S.L., P.J. Cranford, K. Lee, and T. King. 2005. Chronic effects of synthetic drilling mud on sea scallops (*Placopecten magellanicus*). In: (eds) S.L. Armsworthy, P.J. Cranford, and K. Lee. *Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies*. Batelle Press, Columbus, Ohio.
- Arnbom, T. and H. Whitehead. 1989. Observations on the composition and behaviour of groups of female sperm whale near the Galápagos Islands. *Can. J. Zool.* 67:1-7.
- Au, W.W.L., A.N. Popper and R.R. Fay. 2000. *Hearing by Whales and Dolphins*. Springer-Verlag, New York, NY. 458 p.
- Au, W., J. Darling and K. Andrews. 2001. High-frequency harmonics and source level of humpback whale songs. *J. Acoust. Soc. Am.* 110(5, Pt. 2):2770.
- Au, W.W.L., D.W. Lemonds, S. Vlachos, P.E. Nachtigall and H.L. Roitblat. 2002. Atlantic bottlenose dolphin (*Tursiops truncatus*) hearing threshold for brief broadband signals. *J. Compar. Psychol.* 116(2):151-157.

- Au, W.W.L., R.A. Kastelein, T. Rippe and N.M. Schooneman. 1999. Transmission beam pattern and echolocation signals of harbor porpoise (*Phocoena phocoena*). *J. Acoust. Soc. Am.* 106(6):3699-3705.
- Audunson, T. 1980. The fate and Weathering of Surface Oil from the Bravo Blowout. *Marine Environmental Research No. 3*, pp 35-61.
- Awbrey, F.T., J.A. Thomas and R.A. Kastelein. 1988. Low-frequency underwater hearing sensitivity in belugas, *Delphinapterus leucas*. *J. Acoust. Soc. Am.* 84(6):2273-2275.
- Backus, R.H. and W.E. Schevill. 1966. *Physeter* clicks. pp. 510-528. In: K.S. Norris (ed.), *Whales, Dolphins, and Porpoises*. University of California Press, Berkeley, CA.
- Bain, D.E., B. Kriete and M.E. Dahlheim. 1993. Hearing abilities of killer whales (*Orcinus orca*) [abstract]. *J. Acoust. Soc. Am.* 94(3, Pt 2):1829.
- Baird, R.W. and P.J. Stacey. 1991. Status of Risso's Dolphin, *Grampus griseus*, in Canada. *Canadian Field-Naturalist* 105: 233-242.
- Baker, C.S., A. Perry, J.L. Bannister, M.T. Weinrich, R.B. Abernethy, J. Calambokidis, J. Lien, R.H. Lambertsen, J. Urbán Ramirez, O. Vasquez, P.J. Clapham, A. Alling, S.J. O'Brien and S.R. Palumbi. 1993. Abundant mitochondrial DNA variation and world-wide population structure in humpback whales. *Proc. Natl. Acad. Sci. U S A* 90:8239-8243.
- Barnes, J.L. and L.H. Davey. 1999. A practical approach to integrated cumulative environmental effects assessment to meet the requirements of the *Canadian Environmental Assessment Act*.
- Bartol, S., J.A. Musick and M.L. Lenhardt. 1999. Auditory evoked potentials of the loggerhead sea turtle (*Caretta caretta*). *Copeia* 1999(3):836-840.
- Bence, A.E. and W.A. Burns. 1995. Fingerprinting hydrocarbons in the biological resources of the *Exxon Valdez* spill area. pp. 84-140. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.), *Exxon Valdez oil spill: fate and effects in Alaskan waters*, ASTM STP 1219. American Society for Testing and Materials, Philadelphia. 965 p.
- Berdugo, V., R.P. Harris and S.C. O'Hara. 1979. The effect of petroleum hydrocarbons on reproduction of an estuarine planktonic copepod in laboratory cultures. *Marine Pollution Bulletin*, 8: 138-143.
- Berman, M.S. and D.R. Heinle. 1980. Modification of the feeding behavior of marine copepods by sub-lethal concentrations of water accommodated fuel oil. *Marine Biology*, 56: 59-64.
- Bernard, H.J. and S.B. Reilly. 1999. Pilot whales *Globicephala* Lesson, 1828. pp. 245-279. In: S.H. Ridgway and R. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 6. The Second Book of Dolphins and the Porpoises. Academic Press, San Diego, CA. 486 p.
- Berta, A. and J.L. Sumich. 1999. *Marine Mammals/Evolutionary Biology*. Academic Press, San Diego, CA. 494 p.
- Berubé, M., A. Aguilar, D. Dendanto, F. Larsen, G.N. Di Sciara, R. Sears, J. Sigurjónsson, J. Urban-R and P.J. Palsbøll. 1998. Population genetic structure of North Atlantic, Mediterranean Sea and Sea of Cortez fin whales, *Balaenoptera physalus* (Linnaeus 1758): analysis of mitochondrial and nuclear loci. *Mol. Ecol.* 7:585-599.
- Best, P.B. 1979. Social organization in sperm whales, *Physeter macrocephalus*. pp. 227-289. In: H.E. Winn and B.L. Olla (eds.), *Behavior of Marine Animals*. Volume 3. Plenum, New York, NY.
- Best, P.B. 1993. Increase rates in severely depleted stocks of baleen whales. *ICES J. Mar. Sci.* 50:169-186.
- Bigg, M. 1981. *Phoca vitulina* Linnaeus, 1758 and *Phoca largha* Pallas, 1811. pp. 1-27. In: S.H. Ridgway and R.J. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 2. Seals. Academic Press, San Diego, CA.
- Birtwell, I.K., R. Fink, D. Brand, R. Alexander and C.D. McAllister. 1999. Survival of pink salmon (*Oncorhynchus gorbuscha*) fry to adulthood following a 10-day exposure to the aromatic hydrocarbon water-soluble fraction of crude oil and release to the Pacific Ocean. *Canadian Journal of Fisheries and Aquatic Sciences*, 56: 2087-2098.
- Bjørge, A. and K.A. Tolley. 2002. Harbor porpoise *Phocoena phocoena*. pp. 549-551. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego, CA. 1414 p.
- Bjørge, A., N. Øien, S. Hartvedt, G. Bøthun and T. Bekkby. 2002. Dispersal and bycatch mortality in gray, *Halichoerus grypus*, and harbor, *Phoca vitulina*, seals tagged at the Norwegian coast. *Mar. Mamm. Sci.* 18(4):963-976.

- Black, K.P., G.W. Brand, H. Grynberg, D. Gwyther, L.S. Hammond, S. Mourtikas, B.J. Richardson and J.A. Wardrop. 1994. Production facilities. pp. 209-407. In: J.M. Swan, J.M. Neff and P.C. Young (eds.), Environmental implications of offshore oil and gas development in Australia - the findings of an independent scientific review. Australian Petroleum Exploration Society, Sydney.
- Bloch, D. and L. Lastein. 1993. Morphometric segregation of long-finned pilot whales in eastern and western North Atlantic. *Ophelia* 38(1):55-68.
- Boersma, P.D., J.K. Parrish and A.B Kettle. 1995. Common Murre abundance, phenology, and productivity on the Barren Islands, Alaska: The *Exxon Valdez* Oil spill and long-term environmental change. pp. 820-853. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.), *Exxon Valdez* oil spill: fate and effects in Alaskan waters, ASTM STP 1219. American Society for Testing and Materials, Philadelphia. 965 p.
- Bonner, W.N. 1981. Grey seal *Halichoerus grypus* Fabricius, 1791. pp. 111-144. In: S.H. Ridgway and R.J. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 2. Seals. Academic Press, San Diego, CA.
- Borgman, L.E. 1973. Probabilities for the highest wave in a hurricane. *J. Waterways, Harbors and Coastal Engineering Div., ASCE*, 185-207
- Born, E.W., F.F. Riget, R. Dietz and D. Andriashek. 1999. Escape responses of hauled out ringed seals (*Phoca hispida*) to aircraft disturbances. *Polar Biol.* 21(3):171-178.
- Bossart, G.D., M. Lutcavage, B. Mealey and P. Lutz. 1995. The dermatopathologic effects of oil on Loggerhead Sea Turtles (*Caretta caretta*). pp. 180-181. In: L. Frink, K. Ball-Weir and C. Smith (eds.), *Wildlife and oil spills: response, research, and contingency plan*. Tri-State Bird Rescue and Research, Delaware. 182 p.
- Boulva, J. and I.A. McLaren. 1979. Biology of the Harbour Seal, *Phoca vitulina*, in Eastern Canada. *Bulletin of the Fisheries Research Board of Canada*, 200: 24 p.
- Bourne, W.R.P. 1979. Birds and gas flares. *Marine Pollution Bulletin*. 10: 124-125.
- Boyd, I.L., C. Lockyer, H.D. March. 1999. Reproduction in marine mammals. pp. 218-286. In: J.E. Reynolds III and S.A. Rommel (eds.), *Biology of Marine Mammals*. Smithsonian Institution Press, Washington and London. 578 p.
- Brattey, J., N.G. Cadigan, B.P. Healey, G.R. Lilly, E.F. Murphy, D.E. Stansbury, and J.-C. Mahé. 2003. An assessment of the cod (*Gadus morhua*) stock in NAFO Subdiv. 3Ps in October 2003. *Can. Sci. Advis. Sec. Research Document* 2003/092.
- Breeze, H., D.G. Fenton, R.J. Rutherford, and M.A. Silva (eds.). 2002. The Scotian Shelf: An ecological overview for ocean planning. *Can. Tech. Rep. Fish. Aquat. Sci.* 2393. DFO, Dartmouth, NS.
- Breeze, H., D.S. Davis, M. Butler, and V. Kostylev. 1997. Distribution and status of deep sea corals off Nova Scotia. *Marine Issues Committee Special Publication Number 1*, Ecology Action Centre. 58 p.
- Brill, R.L., P.W.B. Moore and L.A. Dankiewicz. 2001. Assessment of dolphin (*Tursiops truncatus*) auditory sensitivity and hearing loss using jawphones. *J. Acoust. Soc. Am.* 109(4):1717-1722.
- Brodersen, C.C., S.D. Rice, J.W. Short, T.A. Mecklenberg and J.F. Karinen. 1977. Sensitivity of larval and adult Alaskan shrimp and crabs to acute exposures of the water-soluble fraction of Cook Inlet Crude Oil. pp. 575-578. In: *Proceedings of the 1977 Oil Spill Conference*, 8-10 March 1977. American Petroleum Institute, Washington, DC.
- Brown Gladden, J.G., P.F. Brodie and J.W. Clayton. 1999. Mitochondrial DNA used to identify an extralimital beluga whale (*Delphinapterus leucas*) from Nova Scotia as originating from the St. Lawrence Population. *Mar. Mamm. Sci.* 15(2):556-558.
- Brown, J.D. 1990. Constraints for Offshore Structures in Constraints to Development, Chapter 14. pp. 774-780. In: *Geology of the Continental Margin of Eastern Canada*, M.J. Keen and G.L. Williams (ed.); Geological Survey of Canada, Geology of Canada, No. 2.
- Brown, R.G.B. 1986. Revised atlas of eastern Canadian seabirds. 1. Shipboard surveys. Canadian Wildlife Service, Ottawa. 111 p.
- Brown, R.G.B., D.I. Gillespie, A.R. Lock, P.A. Pearce and G.H. Watson. 1973. Bird mortality from oil slicks off Eastern Canada, February - April 1970. *Canadian Field-Naturalist*, 87: 225-234.

- Brown, R.G.B., D.N. Nettleship, P. Germain, C.E. Tull and T. Davis. 1975. Atlas of eastern Canadian seabirds. Canadian Wildlife Service, Ottawa. 220 p.
- Brzorad, J.N. and J. Burger. 1994. Fish and shrimp populations in the Arthur Kill. pp. 178-200. In: J. Burger (ed.), Before and after an oil spill: the Arthur Kill. Rutgers University Press, New Jersey. 305 p.
- Buchanan, R.A., J. A. Cook and A. Mathieu. 2003. Environmental effects monitoring for exploration drilling. LGL Report No. SA735 by LGL Ltd., CEF Consultants Ltd., and Oceans Ltd. for Environmental Studies Research Funds, Calgary, Alberta.
- Buchanan, R.A., J. Christian, V. Moulton, B. Mactavish, S. Dufault, R. Pitt, and S. Canning. 2004. Laurentian 2-D Seismic Survey Environmental Assessment. LGL Limited, St. John's, NL Rep. No. SA816. Prepared LGL and Canning & Pitt Associates, Inc. for ConocoPhillips, Calgary, AB 261 p. + App.
- Buhl-Mortensen, L. and P.B. Mortensen. 2004. Crustaceans associated with deep-water gorgonian corals *Paragorgia arborea* (L., 1758) and *Primnoa resedaeformis* (Gunn., 1763). J. Nat. Hist. 38: 1233-1247.
- Burns, J.J. 2002. Harbor seal and spotted seal *Phoca vitulina* and *P. largha*. pp. 552-560. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Butler, R.G., A. Harfenist, F.A. Leighton and D.B. Peakall. 1988. Impact of Sublethal Oil and Emulsion Exposure on the Reproductive Success of Leach's Storm-petrels: Short and Long-term Effects. Journal of Applied Ecology, 25: 125-143.
- Cairns, D.K., W.A. Monteverchi and W. Threlfall. 1989. Researcher's guide to Newfoundland seabird colonies. Second edition. Memorial University of Newfoundland Occasional Papers in Biology, No. 14. 43 p.
- Campana, S., L. Marks, W. Joyce, and S. Harley. 2001. Analytical assessment of the porbeagle shark (*Lamna nasus*) population in the northwest Atlantic, with estimates of long-term sustainable yield. DFO Can. Sci. Advis. Sec. Stock Status Report 2001/067.
- CAPP. 2001a. Offshore drilling waste management review. Canadian Association of Petroleum Producers Technical Report 2001-2007. 194 p. + App.
- CAPP. 2001b. Safety zones. Canadian Association of Petroleum Producers. 7 p. + App.
- Carls, M.G., G.D. Marty, T.R. Meyers, R.E. Thomas and S.D. Rice. 1998. Expression of viral hemorrhagic septicemia virus in prespawning Pacific Herring (*Clupea pallasi*) exposed to weathered crude oil. Canadian Journal of Fisheries and Aquatic Sciences, 55: 2,300-2,309.
- Carlström, J., J. Denkinger, P. Feddersen, N. Øien. 1997. Record of a new northern range of Sowerby's beaked whale (*Mesoplodon bidens*). Polar Biol. 17:459-461.
- Caswell, H., M. Fujiwara and S. Brault. 1999. Declining survival probability threatens the North Atlantic right whale. Proc. Natl. Acad. Sci. USA 96:3308-3313.
- CEA Agency. 1994. A reference guide for the *Canadian Environmental Assessment Act*, addressing cumulative environmental effects. Prepared by the Federal Environmental Assessment Review Office, November 1994.
- CEA Agency. 2000. Preparing project descriptions under the Canadian Environmental Assessment Act. Canadian Environmental Assessment Agency Operational Policy Statement OPS -EPO/5-2000. 6 p.
- CEA Agency. 2003. The process for defining the spatial boundary of a study area during an environmental assessment of offshore exploratory drilling projects. Canadian Environmental Assessment Agency Operational Policy Statement. 3 p. www.acee-ceaa.gc.ca/013/0002/drilling_ops_e.htm [As viewed 4 March 2004.]
- Celewycz, A.G. and A.C. Wertheimer. 1996. Prey availability to Juvenile Salmon after the *Exxon Valdez* Oil Spill. pp. 564-577. In: S.D. Rice, R.B. Spies, D.A. Wolfe, and B.A. Wright (eds.), Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18.
- Chardine, J.W. 2000. Census of Northern Gannet colonies in the Atlantic Region in 1999. Canadian Wildlife Service Technical Report Series No. 361. Atlantic Region.
- Chardine, J.W., G.J. Robertson, P.C. Ryan and B. Turner. 2003. Abundance and distribution of Common Murres breeding at Funk Island, Newfoundland 1972 and 2000. Canadian Wildlife Service Technical Report Series No. 404. Atlantic Region.

- Chen, N.Y. 2004. Estimates of 3Ps bycatch of cod in otter trawl fishery. Can. Sci. Advis. Sec. Res. Doc. 2004/035.
- Christian, J., V.D. Moulton, R.A. Pitt, B.D. Mactavish and R.A. Buchanan. 2005. Laurentian Sub-basin 3-D seismic program, environmental assessment update, 2005. LGL Rep. SA831. Rep. by LGL Limited and Canning & Pitt Associates Inc., St. John's, Newfoundland and Labrador, for ConocoPhillips Canada Resources Corporation, Calgary, Alberta. 83 p. + appendix.
- Christian, J.R., A. Mathieu, D.H. Thomson, D. White and R.A. Buchanan. 2004. Effect of seismic energy on snow crab (*Chionoecetes opilio*) 7 November 2003. Environmental Studies Research Funds Report No. 144. Calgary. 106 p.
- Christian, J.R., R.A. Buchanan, B.D. Mactavish, D.H. Thomson, and R.A. Davis. 1998. Biological setting and potential effects of geophysical surveys, offshore St. Pierre and Miquelon, and southern Newfoundland. Report by LGL Limited for Gulf Canada Resources Limited, Calgary, Alberta. 24 p.
- Christiansen, J.S. and S.G. George. 1995. Contamination of food by crude oil affects food selection and growth performance, but not appetite, in an Arctic Fish, the Polar Cod (*Boreogadus saida*). Polar Biology, 15: 277-281.
- Clapham, P. and F. Wenzel. 2002. Cruise Report: R/V *Delaware II* Cruise No. DE 02-07. Large Whale Survey. NOAA Fisheries Northeast Fisheries Science Center, Woods Hole, MA. Available at <http://www.nefsc.noaa.gov/psb/crureps.htm>.
- Clark, R.B. 1984. Impact of oil pollution on seabirds. Environmental Pollution, 33: 1-22.
- C-NLOPB. 2000. Guidelines Respecting Drilling Programs in the Newfoundland Offshore Area, Canada-Newfoundland and Labrador Offshore Petroleum Board, 2000
- C-NLOPB. 2004. Geophysical, Geological, Environmental and Geotechnical Program Guidelines, Canada-Newfoundland and Labrador Offshore Petroleum Board, April 2004.
- Colbourne, E. 1996. Oceanographic conditions in NAFO Subdivisions 3Pn and 3Ps during 1995 and 1996 with comparisons to the long-term (1961-1990) average. DFO Atlantic fisheries research document; 96/94, 14 p.
- Colbourne, E. 2000. Oceanographic conditions in NAFO Subdivisions 3Pn and 3Ps during 1999 with comparisons to the long-term (1961-1990) averages. Can. Stock Assess. Sec. Res. Doc. 2000/049, 21 p.
- Colbourne, E., C. Fitzpatrick and J. Craig. 2002. A comparison of the 1961-1990 and 1971-2000 means for selected oceanographic data sets in the Newfoundland region. DFO Canadian Science Advisory Secretariat Research Document 2002/077, 29p.
- Colbourne, E., S. Narayanan, and S. Prinsenberg. 1994. Climatic changes and environmental conditions in the Northwest Atlantic, 1970-`993. ICES Mar. Sci. Symp. 198. p. 311-322
- Colbourne, E.B. and D.W. Kulka. 2004. A preliminary investigation of the effects of ocean climate variations on the spring distribution and abundance of thorny skate (*Amblyraja radiata*) in NAFO Divisions 3LNO and Subdivision 3Ps. NAFO SCR Doc. 04/29.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2002. COSEWIC assessment and update status report on the blue whale *Balaenoptera musculus* in Canada. Committee on the Status of Endangered Wildlife in Canada, Ottawa, ON. 32 pp. Available at <http://www.cosewic.gc.ca>. vi + 32 p.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2003a. COSEWIC Assessment and Update Status Report on the Humpback Whale *Megaptera novaeangliae* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. viii + 25 p.
- COSEWIC (Committee on the Status of Endangered Wildlife in Canada). 2003b. COSEWIC Assessment and Status Report on the Sei Whale *Balaenoptera borealis* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 27 p.
- COSEWIC. 2004. COSEWIC assessment and update status report on the beluga whale *Delphinapterus leucas* in Canada. Ottawa. ix + 70 p.
- COSEWIC. 2006. Database of species assessed by COSEWIC. http://www.cosewic.gc.ca/eng/sct1/searchform_e.cfm
- Cranford, P.J., D.C. Gordon Jr., K. Lee, S.L. Armsworthy, and G.-H. Tremblay. 1999. Chronic toxicity and physical disturbance effects of water- and oil-based drilling fluids and some major constituents on adult sea scallops (*Placopecten magellanicus*). Mar. Env. Res. 48:225-256.

- Crucil, C. 1989. Fish tainting and its role in environmental impact assessment. Canadian Oil and Gas Lands Administration Environmental Protection Branch. 52 p.
- Cummings, W.C. and P.O. Thompson. 1971. Underwater sounds from the blue whale, *Balaenoptera musculus*. J. Acoust. Soc. Am. 50:1193-1198.
- Curren, K. and J. Lien. 1998. Observations of white whales, *Delphinapterus leucas*, in waters off Newfoundland and Labrador and in the Gulf of St. Lawrence. Can. Field-Natur. 112(1):28-31.
- Dahlheim, M.E. and C.O. Matkin. 1994. Assessment of injuries to Prince William Sound Killer Whales. pp. 163-171. In: T.R. Loughlin (ed.), Marine mammals and the Exxon Valdez. Academic Press, San Diego. 395 p.
- Dahlheim, M.E. and J.E. Heyning. 1999. Killer whale *Orcinus orca* (Linnaeus, 1758). pp. 281-322. In: S.H. Ridgway and R. Harrison (eds.), Handbook of Marine Mammals. Vol. 6. The Second Book of Dolphins and the Porpoises. Academic Press, San Diego, CA. 486 p.
- Davis, J.E. and S.S. Anderson. 1976. Effects of oil pollution on breeding Grey Seals. Marine Pollution Bulletin 7:115-118.
- Davis, N., G.R. VanBlaricon and P.K. Dayton. 1982. Man-made structures on marine sediments: effects on adjacent benthic communities. Marine Biology. 70: 295-303.
- Davis, R.W., G.S. Fargion, N. May, T.D. Leming, M. Baumgartner, W.E. Evans, L.J. Hansen and K. Mullin. 1998. Physical habitat of cetaceans along the continental slope in the north-central and western Gulf of Mexico. Mar. Mamm. Sci. 14(3):490-507.
- Dawe, E.G., L.C. Hendrickson, E.B. Colbourne, M.A. Showell, K.F. Drinkwater, D.D. Jones, and D.A. Methven. 2002. Environmental regulation of the relative abundance of two squid species in the Northwest Atlantic Ocean, *Illex illecebrosus* and *Loligo pealei*. NAFO SCR Doc. 02/40.
- DFO. 1986-2005. Catch and effort georeferenced digital data sets supplied by Statistics Division, Newfoundland and Labrador Region and Maritimes Region.
- DFO. 1998. 4VsW winter skate. DFO Sci. Stock Status Rep. A3-29 (1998).
- DFO. 2000. Northwest Atlantic harp seals. DFO Science Stock Status Report E1-01(2000).
- DFO. 2002a. 2001 State of the Ocean: Physical Oceanographic Conditions in the Newfoundland Region. DFO Science Stock Status Report. G2-01 (2002)
- DFO. 2002b. Subdivision 3Ps pollock. DFO Science Stock Status Report. A2-07 (2002).
- DFO. 2002c. Wolffish in Divisions 2GHJ, 3KLNO and Subdivisions 3Ps/3Pn. DFO Stock Status report A2-16 (2002).
- DFO. 2002d. White Hake in 4VWX and 5. DFO Science Stock Status Report A3-10.
- DFO. 2003a. Monkfish in Divisions 3L, 3N, 3O and Subdivision 3Ps. DFO Can. Sci. Advis. Sec. Stock Status Rep. 2003/045.
- DFO. 2003b. Eastern Scotian Shelf cod. DFO Science Stock Status Report. 2003/020.
- DFO. 2003c. Thorny skate in Divisions 3L, 3N, 3O and Subdivision 3Ps. DFO Can. Sci. Advis. Sec. Stock Status Report. 2003/023.
- DFO. 2003d. Newfoundland and Labrador Region Groundfish Stock Updates. Can. Sci. Advis. Sec. Stock Status Rep. 2003/049.
- DFO. 2004a. Unit 2 redfish. Can. Advis. Sec. Stock Status Report. 2004/016.
- DFO. 2004b. Allowable harm assessment for spotted and northern wolffish. DFO Can. Sci. Advis. Sec. Stock Status Report 2004/031.
- DFO. 2004c. Allowable harm assessment for cusk in Atlantic Canada. DFO Can. Sci. Advis. Sec. Stock Status Report 2004/044.
- DFO. 2005a. Eastern Nova Scotia snow crab. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2005/032.
- DFO. 2005b. White hake in 4VWX and 5. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2005/058.

- DFO. 2005c. Stock assessment on Subdivision 3Ps pollock. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2005/049.
- DFO. 2005d. Stock assessment on Subdivision 3Ps cod. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2005/047.
- DFO. 2005e. Atlantic halibut of the Gulf of St. Lawrence (4RST) – in 2004. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2005/013.
- DFO. 2005f. Recovery assessment report on NAFO Subareas 3-6 porbeagle shark. DFO Can. Sci. Advis. Sec. Sci. Advis. Report 2005/043.
- DFO. 2005g. Stock assessment report on NAFO Subareas 3-6 porbeagle shark. DFO Can. Sci. Advis. Sec. Sci. Advis. Report 2005/044.
- DFO. 2006a. Assessment of Newfoundland and Labrador Snow Crab. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2006/006.
- DFO. 2006b. Quota Reports (Newfoundland and Labrador Region), various years to 2006. Accessed June 2006.
- Dickins, D.A. and I.A. Buist. 1981, Oil and Gas Under Sea Ice Study. Dome Petroleum Ltd.
- Dicks, B. 1982. Monitoring the Biological effects of North Sea platforms. Marine Pollution Bulletin. 13: 221-227.
- Drinkwater, K., B. Petrie, R. Pettipas, L. Petrie and V. Soukhovtsev. 2000. Physical Oceanographic Conditions on the Scotian Shelf and in the Gulf of Maine during 1999. Canadian Stock Assessment Secretariat Research Document 2000/060.
- Drinkwater, K. F., Petrie, B. and Smith P.C. 2002. Hydrographic variability on the Scotian Shelf during the 1990s. NAFO SCR Doc. 02/42, 16p.
- Drinkwater, K.F. 1996. Atmospheric and oceanic variability in the Northwest Atlantic during the 1980s and early 1990s. J. Northw. Atl. Fish. Sci., C2.18, p.77-97.18: 77-97
- Duffield, D.A., S.H. Ridgway and L.H. Cornell. 1983. Hematology distinguishes coastal and offshore forms of dolphins (*Tursiops*). Can. J. Zool. 61(4):930-933.
- Dupont, F., C.G. Hannah, D.A. Greenberg, J.Y. Cherniawsky and C.E. Naimie. 2002. Modelling System for Tides for the Northwest Atlantic Coastal Ocean. Canadian Technical Report of Hydrography and Ocean Sciences, Vol. 2.221
- Dutton, P.H., B.W. Bowen, D.W. Owens, A. Barragan and S.K. Davis. 1999. Global phylogeography of the leatherback turtle (*Dermochelys coriacea*). J. Zool. Lond. 248:397-409.
- E&P Forum. 1996. Quantitative Risk Assessment (QRA) Data Sheet Directory. The Oil Industry International Exploration and Production Forum, 25-28 Old Burlington Street, London.
- Edyvean, R.G.J., L.A. Terry and G.B. Picken. 1985. Marine fouling and its effects on offshore structures in the North Sea – a review. Internal Bioremediation Bulletin. 21: 4.
- Edinger, E., V.E. Wareham, and R. Haedrich. 2005. Mapping distributions of deep-sea corals in Newfoundland and Labrador waters. DRAFT report for Department of Fisheries and Oceans, St. John's, NL.
- El-Sabh, M. 1976. Surface Circulation Pattern in the Gulf of St. Lawrence. J. Fish. Res. Can. Vol. 33(1) p. 124-138.
- Encalada, S.E., K.A. Bjorndal, A.B. Bolten, J.C. Zurita, B. Schroeder, E. Possardt, C.J. Sears and B.W. Bowen. 1998. Population structure of loggerhead turtle (*Caretta caretta*) nesting colonies in the Atlantic and Mediterranean as inferred from mitochondrial DNA control region sequences. Mar. Biol. 130:567-575.
- Engelhardt, F.R. 1978. Petroleum hydrocarbons in Arctic ringed seals, *Phoca hispida*, following experimental oil exposure. pp. 614-628. In: Proceedings of the Conference on the Assessment of the Ecological Impacts of Oil Spills, 14-17 June 1978, Keystone, CO. American Institute of Biological Science.
- Engelhardt, F.R. 1981. Oil pollution in polar bears: exposure and clinical effects. pp. 139-179. In: Proc. 4th Arctic Marine Oilspill Program Technical Seminar, Edmonton AB. Environmental Protection Service, Ottawa, ON. 741 p.
- Engelhardt, F.R. 1982. Hydrocarbon metabolism and cortisol balance in oil-exposed ringed seals, *Phoca hispida*. Comp. Biochemistry and Physiology 72C:133-136.
- Engelhardt, F.R. 1987. Assessment of the vulnerability of marine mammals to oil pollution. pp. 101-115. In: J. Kiuper, and W.J. Van Den Brink (eds.), Fate and effects of oil in marine ecosystems. Martinus Nijhoff Publishing, Boston, Massachusetts.

- Engelhardt, F.R., J.R. Geraci and T.G. Smith. 1977. Uptake and clearance of petroleum hydrocarbons in the ringed seal, *Phoca hispida*. Journal of the Fisheries Research Board of Canada 34:1143-1147.
- Englehardt, F.R. 1985. Effect of petroleum on marine mammals. pp. 217-243. In: F.R. Englehardt (ed.), Petroleum effects in the arctic environment. Elsevier Applied Science Publishers, London.
- Environmental Protection Agency (EPA). 2000. Environmental assessment of final effluent limitations guidelines and standards for synthetic-based drilling fluids and other non-aqueous drilling fluids in the oil and gas extraction point source category. EPA-821-B-00-014, December 2000.
- Eppley, Z.A. and M.A. Rubega. 1990. Indirect effects of an oil spill: Reproductive failure in a population of South Polar Skuas following the 'Bahia Paraiso' Oil Spill in Antarctica. Marine Ecology Progress Series, 67: 1-6.
- Erasmus, T. and E.D. Wessels. 1985. Heat production studies on normal and oil-covered Jackass Penguins (*Spheniscus demersus*) in Air and Water. South African Journal of Zoology, 20: 209-212.
- Ernst, C.H., R.W. Barbour and J.E. Lovich (eds.). 1994. Turtles of the United States and Canada. Smithsonian Institution Press, Washington, DC. 578 p.
- Evans, W.E. 1994. Common dolphin, white-bellied porpoise *Delphinus delphis* Linnaeus, 1758. pp. 191-224. In: S.H. Ridgway and R. Harrison (eds.), Handbook of Marine Mammals. Vol. 5. The First Book of Dolphins. Academic Press, San Diego, CA. 416 p.
- Fader, G.B., King, L.H., Josenhans, H.W. (1982). Surficial Geology of the Laurentian Channel and the Western Grand Banks of Newfoundland; Geological Survey of Canada, Paper 81-22, 37p.
- Falk-Petersen, I.-B. 1979. Toxic effects of aqueous extracts of Ekofisk crude oil, crude oil fractions and commercial oil products on the development of Sea Urchin Eggs. Sarsia, 64: 161-169.
- Fechhelm, R.G., B.J. Gallaway, G.F. Hubbard, S. MacLean and L.R. Martin. 2001. Opportunistic sampling at a deep-water synthetic drilling fluid discharge site in the Gulf of Mexico. Gulf of Mexico Science. 2: 97-106.
- Finneran, J.J., C.E. Schlundt, D.A. Carder, J.A. Clark, J.A. Young, J.B. Gaspin and S.H. Ridgway. 2000. Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. J. Acoust. Soc. Am. 108(1):417-431.
- Ford, J.K.B. 2002. Killer whale. pp. 669-675. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Forns, J.M. 1977. The effects of crude oil on larvae of Lobster, *Homarus americanus*. pp. 569-573. In: Proceedings of the 1977 Oil Spill Conference, 8-10 March 1977. American Petroleum Institute, Washington, DC.
- Forristall, G. Z. 1978. On the statistical distribution of wave heights in a storm. J. of Geophys. Res., Vol. 83, p. 2353-2358.
- Foy, M.G. 1982. Acute lethal toxicity of Prudhoe Bay crude oil and Corexit 9527 to Arctic marine fish and invertebrates. Environment Canada, Environmental Protection Service Report No. EPS 4-EC-82-3. 62 p.
- Fratantoni P.S. and R.S. Pickart. 2005. The western North Atlantic Shelfbreak current system in summer. (Submitted to the Journal of Physical Oceanography, March 17, 2005)
- Frink, L. and J. White. 1990. A perspective on the effects of oil on birds. In: The effects of oil on wildlife: Research, rehabilitation and general concerns. Presented by International Wildlife Research, Tri-State Bird Rescue and Research, Inc. and International Bird Rescue Research Center. Washington.
- Frost, K.J., L.F. Lowry and J. Ver Hoef. 1999. Monitoring the trend of harbor seals in Prince William Sound, Alaska, after the Exxon Valdez oil spill. Marine Mammals Science 15:494-506.
- Frost, K.J., L.F. Lowry, E.H. Sinclair, J. Ver Hoef and D.C. McAllister. 1994. Impacts on distribution, abundance and productivity of harbour seals. pp. 97-118. In: T.R. Loughlin (ed.), Marine mammals and the Exxon Valdez. Academic Press, San Diego. 395 p.
- Fry, D.M. 1990. Oil exposure and stress effects on Avian reproduction. In: The effects of oil on wildlife: research, rehabilitation and general concerns. Presented by International Wildlife Research, Tri-State Bird Rescue and Research, Inc. and International Bird Rescue Research Center. Washington.

- Fry, D.M. and L.J. Lowenstein. 1985. Pathology of Common Murres and Cassin's Auklets exposed to oil. *Arch. Environmental Contamination and Toxicology* 14, 725-737.
- Gage, J.D. 1996. Why are there so many species in deep-sea sediments? *J. Exp. Mar. Biol. Ecol.* 200: 257-286.
- Gallaway, B.J., J.G. Cole, and L.R. Martin. 2001. The deep sea Gulf of Mexico: an overview and guide. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2001-065. 27 p.
- Gambell, R. 1976. World whale stocks. *Mamm. Rev.* 6:41-53.
- Gambell, R. 1985a. Sei whale *Balaenoptera borealis* Lesson, 1828. pp. 155-170. In: S.H. Ridgway and R. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 3. The Sirenians and Baleen Whales. Academic Press, London, U.K. 362 p.
- Gambell, R. 1985b. Fin whale *Balaenoptera physalus* (Linnaeus, 1758). pp. 171-192. In: S.H. Ridgway and R. Harrison (eds.). *Handbook of Marine Mammals*. Vol. 3. The Sirenians and Baleen Whales. Academic Press, London, U.K. 362 p.
- Gardner, G.R. 1975. Chemically induced lesions in estuarine or marine Teleosts. pp. 657-693. In: W.E. Ribelin and G. Migaki (eds.), *The pathology of fishes*. University of Wisconsin Press, Madison.
- Gascon, D. (ed.). 2003. Redfish multidisciplinary research zonal program (1995-1998): Final Report. *Can. Tech. Rep. Fish. Aquat. Sci.* 2462: xiii + 139 p.
- Gaskin, D.E. 1991. An update on the status of the right whale, *Eubalaena glacialis*, in Canada. *Can. Field-Natur.* 105(2):198-205.
- Gaskin, D.E. 1992. Status of the common dolphin, *Delphinus delphis*, in Canada. *Can. Field-Natur.* 106(1):55-63.
- Gass, S.E. 2002. An assessment of the distribution and status of deep sea corals in Atlantic Canada by using both scientific and local forms of knowledge. Master of Environmental Studies Thesis, Dalhousie University, Halifax, NS.
- Geraci, J.R. 1990. Cetaceans and oil: physiologic and toxic effects. pp. 167-197. In: J.R. Geraci and D.J. St. Aubin (eds.), *Sea mammals and oil: confronting the risks*. Academic Press, San Diego. 282 p.
- Geraci, J.R. and D.J. St. Aubin. 1980. Offshore petroleum resource development and marine mammals: a review and research recommendations. *Marine Fisheries Review* 42:1-12.
- Geraci, J.R. and D.J. St. Aubin. 1982. Study of the effects of oil on cetaceans. Final report. Rep. from University of Guelph for U.S. Bur. Land Manage., Washington, DC. NTIS PB83-152991. 274 p.
- Geraci, J.R. and D.J. St. Aubin. 1985. Expanded studies of the effects of oil on cetaceans, Part I. Report by University of Guelph for Minerals Management Service, Washington, DC. NTIS No. PB85-200-947. 144 p.
- Geraci, J.R. and T.G. Smith. 1976. Direct and indirect effects of oil on ringed seals (*Phoca hispida*) of the Beaufort Sea. *Journal of the Fisheries Research Board of Canada* 33:1976-1984.
- Gilchrist, G.H and M.L. Mallory. 2005. Declines in abundance and distribution of the Ivory Gull (*Pagophila eburnea*) in Arctic Canada. *Biological Conservation* 121:303-309.
- Gilkinson, K. 1986. Review and assessment of the literature on marine benthic molluscs (*Amphineura*, *Bivalvia*, *Gastropoda*) in Newfoundland and Labrador waters. *NAFO Science Council Studies*, 10: 93-108.
- Godfrey, W.E. 1986. The Birds of Canada. National Museums of Canada, Ottawa. 595 p.
- Goff, G.P. and J. Lien. 1988. Atlantic leatherback turtles, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. *Can. Field-Natur.* 102(1): 1-5.
- Gomes, M.C., R.L. Haedrich, and J.C. Rice. 1992. Biogeography of groundfish assemblages on the Grand Bank. *J. Northw. Atl. Fish. Soc.* 14: 13-27.
- Good, T. 1998. Great Black-backed Gull. *The Birds of North America*, No. 330. The Academy of Natural Sciences of Philadelphia. 32 p.
- Gorman, M.L. and H. Milne. 1970. Seasonal changes in the adrenal steroid tissue of the Common Eider *Somateria mollissima* and its relation to organic metabolism in normal and oil-polluted Birds. *Ibis*, 113: 218-228.

- Gorsline, J., W.N. Holmes, and J. Cronshaw. 1981. The effects of ingested petroleum on the naphthalene-metabolizing properties of liver tissue in seawater-adapted Mallard Ducks (*Anas platyrhynchos*). Environmental Research, 24: 377-390.
- Government of Canada. 2005. Species at Risk Act Public Registry. Available at <http://www.sararegistry.gc.ca>, accessed November 16, 2005.
- Gowans, S. 2002. Bottlenose whales *Hyperoodon ampullatus* and *H. planifrons*. pp. 128-129. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Gowans, S. and H. Whitehead. 1995. Distribution and habitat partitioning by small odontocetes in the Gully, a submarine canyon on the Scotian Shelf. Can. J. Zool. 73:1599-1608.
- Gowans, S., H. Whitehead, J.K. Arch and S.K. Hooker. 2000. Population size and residency patterns of northern bottlenose whales (*Hyperoodon ampullatus*) using the Gully, Nova Scotia. J. Cetacean Res. Manage. 2(3):201-210.
- Gramentz, D. 1988. Involvement of loggerhead turtle with the plastic, metal and hydrocarbon pollution in the Central Mediterranean. Marine Pollution Bulletin 19:11-13.
- Greene Jr., C.R. 1985. Characteristics of waterborne industrial noise, 1980-84. pp. 197-253. In: W.J. Richardson (ed.), Behavior, disturbance responses and distribution of bowhead whales *Balaena mysticetus* in the eastern Beaufort Sea, 1980-84. OCS Study MMS 85-0034. Rep. from LGL Ecol. Res. Assoc. Inc., Bryan, TX, for US Minerals Manage. Serv., Reston, VA. 306 p. NTIS PB87-124376.
- Greene Jr., C.R. 1987. Characteristics of oil industry dredge and drilling sounds in the Beaufort Sea. J. Acoust. Soc. Am. 82: 1315-1324.
- Greene, C.R. 1986. Underwater sounds from the semisubmersible drill rig SEDCO 708 drilling in the Aleutian Islands. Sect. 1. In: API Publ. 4438. American Petroleum Institute, Washington, DC. 69 p.
- Greene, C.R., Jr., M.W. McLennan, R.G. Norman, T.L. McDonald, R.S. Jakubczak and W.J. Richardson. 2004. Directional Frequency and Recording (DIFAR) sensors in seafloor recorders to locate calling bowhead whales during their fall migration. J. Acoust. Soc. Am. 116(2):799-813.
- Griffin, R.B. 1999. Sperm whale distributions and community ecology associated with a warm-core ring off Georges Bank. Mar. Mamm. Sci. 15(1):33-51.
- Gross, W.A.O. 1935. The life history cycle of Leach's Petrel *Oceanodroma leucorhoa leucorhoa* on the outer sea islands of the Bay of Fundy. Auk 52:382-399.
- Gulf Canada. 1981. Analysis of accidents in offshore operations where hydrocarbons were lost. A report by the Houston Technical Services Center of Gulf Research and Development Company for Gulf Canada Resources, Inc. Calgary, Alberta.
- Hai, D.J., J. Lien, D. Nelson and K. Curren. 1996. A contribution to the biology of the white-beaked dolphin, *Lagenorhynchus albirostris*, in waters off Newfoundland. Can. Field-Natur. 110(2):278-287.
- Hall, A. 2002. Gray seal *Halichoerus grypus*. pp. 522-524. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Hall, A.J., J. Watkins and L. Hiby. 1996. The impact of the 1993 Braer oil spill on grey seals in Shetland. The Science of the Total Environment 186: 119-125.
- Hall, J.D. and C.S. Johnson. 1972. Auditory thresholds of a killer whale (*Orcinus orca* Linnaeus). J. Acoust. Soc. Am. 51(2):515-517.
- Hall, R.J., A.A. Belisle and L. Sileo. 1983. Residues of petroleum hydrocarbons in tissues of sea turtles exposed to the Ixtoc 1 oil spill. Journal of Wildlife Diseases 19:106-109.
- Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). Mar. Mamm. Sci. 19(4):920-939.
- Hammill, M.O., and G.B. Stenson. 2000. Estimated prey consumption by harp seals (*Phoca groenlandica*), hooded seals (*Cystophora cristata*), grey seals (*Halichoerus grypus*) and harbour seals (*Phoca vitulina*) in Atlantic Canada. J. NW Atl. Fish. Sci. 26:1-23. Available at <http://www.nafo.ca>.

- Hamoutene, D., J.F. Payne, C. Andrews, J. Wells, and J. Guiney. 2004. Effect of a synthetic drilling fluid (IPAR) on antioxidant enzymes and peroxisome proliferation in the American lobster, *Homarus americanus*. Can. Tech. Rep. Fish. Aquat. Sci. No. 2554: iii + 12 p.
- Han G., J.W. Loder and P.C. Smith. 1999. Seasonal-mean Hydrography and circulation in the Gulf of St. Lawrence and on the Eastern Scotian and Southern Newfoundland shelves. Journal of Physical Oceanography. Vol. 29, No. 6, June, 1999.
- Haney, J.C. and S.D. MacDonald. 1995. Ivory Gull. The Birds of North America, No. 175. The Academy of Natural Sciences of Philadelphia. 22 p.
- Harfenist, A., A.P. Gilman and K.L. Maus. 1990. The effects of exposure of incubating adult and young Herring Gulls to a simulated No.2 fuel oil slick. Arch. Environmental Contamination and Toxicology, 19: 902-906.
- Harris, L.E., P.A. Comeau, and D.S. Clark. 2002. Evaluation of cusk (*Brosme brosme*) in Canadian waters. Can. Sci. Advis. Sec. Res. Doc. 2002/104.
- Harris, R.E., G.W. Miller and W.J. Richardson. 2001. Seal responses to airgun sounds during summer seismic surveys in the Alaskan Beaufort Sea. Mar. Mamm. Sci. 17(4):795-812.
- Hartley Anderson Ltd. 2005. Seabed environmental investigations around Exploration Well 213/27-1z. Unpubl. Report for ChevronTexaco Upstream Europe. 35 p.
- Hartung, R. 1965. Some effects of oiling on reproduction of Ducks. Journal of Wildlife Management, 29: 872-874.
- Hartung, R. and G.S. Hunt. 1966. Toxicity of some oils to Waterfowl. Journal of Wildlife Management, 30: 564-570.
- Hartung, R. 1995. Assessment of the potential for long-term toxicological effects of the *Exxon Valdez* oil spill on Birds and Mammals. pp. 693-725. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.), Exxon Valdez oil spill: fate and effects in Alaskan waters, ASTM STP 1219. American Society for Testing and Materials, Philadelphia. 965 p.
- Harvey, J.T. and M.E. Dahlheim. 1994. Cetaceans in oil. pp. 257-264. In: T.R. Loughlin (ed.), Marine mammals and the Exxon Valdez. Academic Press, San Diego. 395 p.
- Healey, B.P. and G.B. Stenson. 2000. Estimating pup production and population size of the northwest Atlantic harp seal (*Phoca groenlandica*). NAFO Sci. Res. Doc. 00/55.
- Hendrickson, L.C., E.G. Dawe, and M.A. Showell. 2003. Interim monitoring report for the assessment of northern shortfin squid (*Illex illecebrosus*) in Subareas 3+4 during 2002. NAFO SCR Doc. 03/48.
- Heyning, J.E. and M.E. Dahlheim. 1988. *Orcinus orca*. Mamm. Spec. 304:1-9.
- Hinwood, J.B., A.E. Potts, L.R. Dennis, J.M. Carey, H. Houridis, R.J. Bell, J.R. Thomson, P. Boudreau and A.M. Ayling. 1994. Drilling activities. pp. 123-207. In: J.M. Swan, J.M. Neff and P.C. Young (eds.), Environmental implications of offshore oil and gas development in Australia - the findings of an independent scientific review. Australian Petroleum Exploration Society, Sydney.
- Hoelzel, A.R., C.W. Potter and P.B. Best. 1998. Genetic differentiation between parapatric 'nearshore' and 'offshore' populations of the bottlenose dolphin. Proc. R. Soc Lond. B 265:1177-1183.
- Hoffman, D.J. 1978. Embryotoxic effects of crude oil in mallard Ducks and Chicks. Toxicology and Applied Pharmacology. 46: 183-190.
- Hoffman, D.J. 1979a. Embryotoxic and teratogenic effects of crude oil on Mallard Embryos on day one of development. Bulletin of Environmental Contamination and Toxicology, 22: 632-637.
- Hoffman, D.J. 1979b. Embryotoxic effects of crude oil containing nickel and vanadium in Mallards. Bulletin of Environmental Contamination and Toxicology, 23: 203-206.
- Hollister, C.D. and A.R.M. Nowell. 1991. HEBBLE epilogue. Mar. Geol. 99: 445-460.
- Holmes, W.N., J. Cronshaw and K.P. Cavanaugh. 1978. The effects of ingested petroleum on laying in Mallard Ducks (*Anas platyrhynchos*). pp. 301-309. In: J. Lindstedt-Siva (ed.), Proc. Energy/Environment '78, Los Angeles. Soc. Petrol. Industry Biologists. 321 p.

- Holmes, W.N., J. Gorsline and J. Cronshaw. 1979. Effects of mild cold stress on the survival of seawater-adapted Mallard Ducks (*Anas platyrhynchos*) maintained on food contaminated with petroleum. Environmental Research, 20: 425-444.
- Hooker, S.K. and R.W. Baird. 1999. Observations of Sowerby's beaked whales, *Mesoplodon bidens*, in the Gully, Nova Scotia. Can. Field-Natur. 113(2):273-277.
- Hoover-Miller, A., K.R. Parker and J.J. Burns. 2001. A reassessment of the impact of the *Exxon Valdez* oil spill on harbor seals (*Phoca vitulina richardsi*) in Prince William Sound, Alaska. Marine Mammal Science 17(1):111-135.
- Horwood, J. 1987. The Sei Whale: Population Biology, Ecology, and Management. Croom Helm, Beckenham, Kent, UK. 375 p.
- Horwood, J. 2002. Sei whale. pp. 1069-1071. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Hose, J.E., M.D. McGurk, G.D. Marty, D.E. Hinton, E.D. Brown and T.T. Baker. 1996. Sublethal effects of the *Exxon Valdez* oil spill on Herring embryos and larvae: morphological, cytogenetic, and histopathological Assessments, 1989-1991. Canadian Journal of Fisheries and Aquatic Sciences, 53: 2,355-2,365.
- Houser, D.S., D.A. Helweg and P.W.B. Moore. 2001. A bandpass filter-bank model of auditory sensitivity in the humpback whale. Aquat. Mamm. 27(2):82-91.
- Hovland, M., S. Vasshus, A. Indreeide, L. Austdal, and Ø. Nilsen. 2002. Mapping and imaging deep-sea coral reefs off Norway, 1982-2000. Hydrobiol. 471: 13-17.
- Hughes, M.R., C. Kasserra and B.R. Thomas. 1990. Effect of externally applied bunker fuel on body mass and Temperature, plasma concentration, and water flux of Glaucous-winged Gulls, *Larus glaucescens*. Canadian Journal of Zoology, 68: 716-721.
- Huntington, C.E., R.G. Butler and R.A. Mauk. 1996. Leach's Storm-Petrel. The Birds of North America, No. 233. The Academy of Natural Sciences of Philadelphia. 32 p.
- Hurlbut, S.E., S.E. French and B.J. Taylor. 1991. Evaluation of potential effects of major oil spills on Grand Banks commercial fish species as a result of impacts on eggs and larvae. Environmental Studies Research Funds Report No. 110, Calgary, AB. 53 p.
- Hurley, G.V. 1980. Recent developments in the squid, *Illex illecebrosis*, fishery off Newfoundland. Canadian Marine Fish Review, Aug: 15-22.
- Hurley, G. and J. Ellis. 2004. Environmental effects of exploratory drilling offshore Canada: Environmental effects monitoring data and literature review-final report. Report for The Canadian Environmental Assessment Agency, Regulatory Advisory Committee (RAC).
- Hartung, R. 1967. Energy Metabolism in Oil-covered Ducks. Journal of Wildlife Management., 31: 798-804.
- Hartung, R. and G.S. Hunt. 1966. Toxicity of Some Oils to Waterfowl. Journal of Wildlife Management, 30: 564-570.
- Husky. 2000. White Rose Oilfield Comprehensive Study. Submitted by Husky Oil Operations Limited, St. John's, NL.
- Husky. 2001. White Rose Oilfield Comprehensive Study Supplement. Submitted by Husky Oil Operations Limited, St. John's, NL.
- Husky. 2002. Husky Jeanne d'Arc Basin exploration drilling program project description and environmental assessment. Prepared by LGL Limited, Oceans Limited, Provincial Airlines Limited, and S.R. Ross Environmental Research Ltd. for Husky Oil Operations Limited, St. John's, NL. 179 p.
- Husky. 2003. Husky Lewis Hill prospect exploration drilling program environmental assessment. Prepared by LGL Limited, Oceans Limited, Provincial Airlines Limited, and S.R. Ross Environmental Research Ltd. for Husky Oil Operations Limited, St. John's, NL. 324 p.
- Irwin, R.J. 1997. Environmental Contaminants Encyclopedia Crude Oil Entry. National Park Service, Water Resources Divisions, Water Operations Branch, Colorado.
- IWC (International Whaling Commission). 1996. Annex H: report of the sub-committee on small cetaceans. Rep. Int. Whal. Commn 46:160-179.

- IWC (International Whaling Commission). 2001a. Report of the workshop on status and trends of western North Atlantic right whales. *J. Cetacean Res. Manage. Spec. Iss.* 2:61-88.
- IWC (International Whaling Commission). 2001b. Report of the workshop on the comprehensive assessment of North Atlantic right whales. *J. Cetacean Res. Manage. Spec. Iss.* 2:1-60.
- James, M.C., C.A. Ottensmeyer and R.A. Myers. 2005. Identification of high-use habitat and threats to leatherback sea turtles in northern waters: new directions for conservation. *Ecology Letters* 8:195-201.
- Jaquet, N. and D. Gendron. 2002. Distribution and relative abundance of sperm whales in relation to key environmental features, squid landings and the distribution of other cetacean species in the Gulf of California, Mexico. *Mar. Biol.* 141:591-601.
- Jaquet, N. and H. Whitehead. 1996. Scale-dependent correlation of sperm whale distribution with environmental features and productivity in the South Pacific. *Mar. Ecol. Prog. Ser.* 135(1-3):1-9.
- Jefferson, T.A., P.J. Stacey and R.W. Baird. 1991. A review of killer whale interactions with other marine mammals: predation to co-existence. *Mamm. Rev.* 21(4):151-180.
- Jenssen, B.M. 1996. An overview of exposure to, and effects of, petroleum oil and organochlorine pollution in grey seals (*Halichoerus grypus*). *The Science of the Total Environment* 186:109-118.
- Johns, D.M. and J.A. Pechenik. 1980. Influence of the water-accommodated fraction of No. 2 fuel oil on energetics of *Cancer irroratus* larvae. *Marine Biology*, 55: 247-254.
- Johnson, C.S. 1967. Sound detection thresholds in marine mammals. pp. 247-260. In: W.N. Tavolga (ed.), *Marine Bioacoustics*. Vol. 2. Pergamon, Oxford, U.K. 353 p.
- Johnson, C.S., M.W. McManus and D. Skaar. 1989. Masked tonal hearing thresholds in the beluga whale. *J. Acoust. Soc. Am.* 85(6):2651-2654.
- Josenhans, H. and S. Lehman. 1999. Late Glacial Stratigraphy and History of the Gulf of St. Lawrence, Canada. *Canadian Journal of Earth Sciences*, vol. 36, p. 1327-1345.
- JWEL 2001. Environmental review of ROV survey of Annapolis Well B24. Report by Jacques Whitford Environment, Dartmouth, NS to Marathon Canada Limited, Halifax, NS. 4 p.
- JWEL 2002. Post-drilling environmental observations of deepwater exploration drilling at Well H-23 Newburn. Report by Jacques Whitford Environment Limited, Dartmouth, NS to Chevron Canada Resources. 6 p.
- JWEL. 2003. Strategic environmental assessment Laurentian Sub-basin. Jacques Whitford Environmental Limited Report to the Canada-Newfoundland Offshore Petroleum Board and the Canada-Nova Scotia Offshore Petroleum Board. 250 p. + App.
- JWEL. 2004. Environmental assessment report to BEPCo. Canada Company on exploratory drilling on EL2407.
- Kapel, F.O. 1979. Exploitation of large whales in West Greenland in the twentieth century. *Rep. Int. Whal. Comm.* 29:197-214.
- Kastak, D. and R.J. Schusterman. 1998. Low-frequency amphibious hearing in pinnipeds: methods, measurements, noise and ecology. *J. Acoust. Soc. Am.* 103(4): 2216-2228.
- Kastak, D. and R.J. Schusterman. 1999. In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*). *Can. J. Zool.* 77: 1751-1758.
- Kastelein, R.A., M. Hagedoorn, W.W.L. Au and D. de Haan. 2003. Audiogram of a striped dolphin (*Stenella coeruleoalba*). *J. Acoust. Soc. Am.* 113(2):1130-1137.
- Kastelein, R.A., P. Bunskoek, M. Hagedoorn, W.W.L. Au and D. de Haan. 2002a. Audiogram of a harbor porpoise (*Phocoena phocoena*) measured with narrow-band frequency-modulated signals. *J. Acoust. Soc. Am.* 112(1):334-344.
- Kastelein, R.A., P. Mosterd, B. van Santen, M. Hagedoorn and D. de Haan. 2002b. Underwater audiogram of a Pacific walrus (*Odobenus rosmarus divergens*) measured with narrow-band frequency-modulated signals. *J. Acoust. Soc. Am.* 112(5):2173-2182.

- Katona, S.K. and J.A. Beard. 1990. Population size, migrations and feeding aggregations of the humpback whale (*Megaptera novaeangliae*) in the western North Atlantic ocean. Rep. Int. Whal. Commn Spec. Iss. 12:295-305.
- Keen, M.J. and D.J.W. Piper. 1990. Geological and Historical Perspective, Chapter 1. p. 5-30. In: Geology of the Continental Margin of Eastern Canada, M.J. Keen and G.L. Williams (ed.); Geological Survey of Canada, Geology of Canada, No. 2.
- Keen, M.J., J. Adams, K. Moran, D.J.W. Piper, and I. Reid. 1990. Earthquakes and Seismicity. in Constraints to Development, Chapter 14, in Geology of the Continental Margin of Eastern Canada, M.J. Keen and G.L. Williams (ed.); Geological Survey of Canada, Geology of Canada, no. 2, p. 793-798.
- Kenney, R.D. 2001. Anomalous 1992 spring and summer right whale (*Eubalaena glacialis*) distributions in the Gulf of Maine. J. Cetacean Res. Manage. Spec. Iss. 2:209-223.
- Ketten, D.R. 1991. The marine mammal ear: specializations for aquatic audition and echolocation. pp. 717-750. In: D. Webster, R. Fay, and A. Popper (Eds.), The biology of hearing. Springer-Verlag, Berlin.
- Ketten, D.R. 1992. The cetacean ear: form, frequency, and evolution. pp. 53-75. In: J. A. Thomas, R. A. Kastelein and A. Ya Supin (eds.), Marine Mammal Sensory Systems. Plenum, New York. 773 p.
- Ketten, D.R. 1994. Functional analysis of whale ears: adaptations for underwater hearing. IEEE Proc. Underwat. Acoust. 1:264-270.
- Ketten, D.R. 2000. Cetacean ears. pp. 43-108. In: W.W.L. Au, A.N. Popper and R.R. Fay (eds.), Hearing by Whales and Dolphins. Springer-Verlag, New York, NY. 485 p.
- Khan, R.A. and P. Ryan. 1991. Long term effects of crude oil on Common Murre (*Uria aalge*) following rehabilitation. Bulletin of Environmental Contamination and Toxicology, 46: 216-222.
- Kingsley, M.C.S. and R.R. Reeves. 1998. Aerial surveys of cetaceans in the Gulf of St. Lawrence in 1995 and 1996. Can. J. Zool. 76:1529-1550.
- Kinze, C.C. 2002. White-beaked dolphin *Lagenorhynchus albirostris*. pp. 1332-1334. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Klishin, V.O., V.V. Popov and A.Y. Supin. 2000. Hearing capabilities of a beluga whale, *Delphinapterus leucas*. Aquat. Mamm. 26(3):212-228.
- Knowlton, A.R., J. Sigurjónsson, J.N. Ciano and S.D. Kraus. 1992. Long-distance movements of North Atlantic right whales (*Eubalaena glacialis*). Mar. Mamm. Sci. 8(4):397-405.
- Kocan, R.M., J.E. Hose, E.D. Brown and T.T. Baker. 1996. Pacific Herring (*Clupea pallasii*) embryo sensitivity to Prudhoe Bay petroleum hydrocarbons: Laboratory evaluation and in situ exposure at oiled and unoiled sites in Prince William Sound. Canadian Journal of Fisheries and Aquatic Sciences, 53: 2,366-2,375.
- Koning, W. 1987. Sensory and Chemical Analysis of Fish Tainting by Oil Sands Wastewater. M.Sc. University of Alberta.
- Kooyman, G.L., R.L. Gentry and W.B. McAlister. 1976. Physiological impact of oil on pinnipeds. Unpubl. Final Rep., Res. Unit 71, to Outer Cont. Shelf Envir. Assess. Program, BLM/NOAA. 26 p.
- Kooyman, G.L., R.W. Davis and M.A. Castellini. 1977. Thermal conductance of immersed pinniped and sea otter pelts before and after oiling with Prudhoe Bay crude. pp. 151-157. In: D.A. Wolfe (ed.), Fate and effects of petroleum hydrocarbons in marine ecosystems and organisms. Pergamon Press, Oxford.
- Kovacs, K.M. 2002. Hooded seal *Cystophora cristata*. pp. 580-582. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Kraus, S.D., P.K. Hamilton, R.D. Kenney, A.R. Knowlton and C.K. Slay. 2001. Reproductive parameters of the North Atlantic right whale. J. Cetacean Res. Manage. Spec. Iss. 2:231-236.
- Kreiger, K.J. and B.L. Wing. 2002. Megafauna associations with deepwater corals (*Primnoa* spp.) in the Gulf of Alaska. Hydrobiologia 471: 83-90.
- Kühnhold, W.W. 1972. The influence of crude oils on fish fry. pp. 315-318. In: M. Ruivo (ed.), Marine Pollution and Sea Life. Fishing News (Books) Ltd., London, England.

- Kühnhold, W.W. 1974. Investigations on the Toxicity of Seawater-extracts of Three Crude Oils on Eggs of Cod (*Gadus morhua* L.). Ber. Dtsch. Wiss. Kommn. Meeresforsch, 23: 165-180.
- Kühnhold, W.W. 1978. Effects of the water soluble fraction of a Venezuelan heavy fuel oil (No.6) on cod eggs and larvae. pp. 126-130. In: In the Wake of the Argo Merchant, Center for Ocean Management. University of Rhode Island, Kingston, RI.
- Kulka, D.W. and C.M. Miri. 2003. The status of monkfish (*Lophius americanus* Valenciennes 1837; Lophiidae) on the Grand Banks, NAFO Divisions 3L, 3N, 3O, and Subdivision 3Ps. Can. Sci. Advis. Sec. Res. Doc. 2003/100.
- Kulka, D.W. and F.K. Mowbray. 1999. An Overview of the Grand Banks Skate Fishery. In: Case studies of the management of elasmobranch fisheries. Food and Agriculture Organization of the United Nations, Rome.
- Kulka, D.W. and M.R. Simpson. 2002. The status of white hake (*Urophycis tenuis*), in NAFO Division 3L, 3N, 3O and Subdivision 3Ps. Can. Sci. Advis. Sec. Research Document 2002/055.
- Kulka, D.W., C.M. Miri, M.R. Simpson, and K.A. Sosebee. 2004b. Thorny skate (*Amblyraja radiata* Donovan, 1808) on the Grand Banks of Newfoundland. NAFO SCR Doc. 04/35.
- Kulka, D.W., D.B. Atkinson and E. DeBlois. 1996. Non-traditional groundfish species on the Labrador Shelf and Grand Banks - skate. DFO Atl. Fish. Res. Doc. 96/98.
- Kulka, D.W., K. Sosobee, C.M. Miri, and M.R. Simpson. 2004a. The status of white hake (*Urophycis tenuis*) in NAFO Divisions 3L, 3N, 3O and Subdivision 3Ps. NAFO SCR Doc. 04/57.
- Kulka, D.W., M.R. Simpson, and R.G. Hooper. 2004c. Changes in distribution and habitat associations of wolffish (Anarhichidae) in the Grand Banks and Labrador Shelf. Can. Sci. Advis. Sec. Res. Doc. 2004/113.
- Kulka, D.W., N.C. Antle, and J.M. Simms. 2003. Spatial analysis of 18 demersal species in relation to petroleum licence areas on the Grand Bank (1980-2000). Can. Tech. Rep. Fish. Aquat. Sci. No. 2473. 202 p.
- Lang, A.L. and V.D. Moulton. 2004. Marine mammal and seabird monitoring during the *CCGS Hudson* research expedition, June-July 2004. LGL Rep. SA818. Rep. from LGL Ltd., King City, ON and St. John's, NL, for ExxonMobil Canada Ltd., St. John's NL and Chevron Canada Resources, Calgary, AB. 22p.
- Lauzier, L. M. 1958. Some aspects of oceanographic conditions in the Gulf of St. Lawrence from autumn 1956 to spring 1957. Manuscript report series (oceanographic and limnological); Vol. 9, 43p.
- Lauzier, L. M. and Trites R.W. 1957. The deep waters in the Laurentian Channel. Manuscript report series (oceanographic and limnological); Vol. 5, 25p.
- Lavigne, D.M. 2002. Harp seal *Pagophilus groenlandicus*. pp. 560-562. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Lawler, G.C., W. Loong and J.L. Laseter. 1978. Accumulation of aromatic hydrocarbons in tissues of petroleum-exposed Mallard Ducks (*Anas platyrhynchos*). ES & T Research, 12: 51-54.
- Lawson, J. W., C. I. Malme, and W. J. Richardson. 2001. Assessment of noise issues relevant to marine mammals near the BP Clair Development. LGL Report TA2565-2. Prepared by LGL Limited, King City, ON and Eng. and Sci. Services, Hingham, MA for BP, Aberdeen. 177 p.
- Leatherwood, S. and R.R. Reeves. 1983. The Sierra Club Handbook of Whales and Dolphins. Sierra Club, San Francisco, CA. 302 p.
- Leatherwood, S., F.T. Awbrey, and J.A. Thomas. 1982. Minke whale response to a transiting survey vessel. Rep. Int. Whal. Comm. 32:795-802.
- Lee, D.S. and C. Haney. 1996. Manx Shearwater. The Birds of North America, No. 257. The Academy of Natural Sciences of Philadelphia. 28 p.
- Leighton, F.A. 1993. The toxicity of petroleum oils to birds. Environmental Review 1, 92-103.
- Leighton, F.A., R.G. Butler and D.B. Peakall. 1985. Oil and Arctic marine birds: An assessment of risk. pp. 183-215. In: F.R. Engelhardt (ed.), Petroleum effects in the arctic environment. Elsevier Applied Science Publishers, London. 281 p.

- Lesage, V. and M.C.S. Kingsley. 1997. Updated status of the St. Lawrence River population of the beluga, *Delphinapterus leucas*. Can. Field-Natur. 112:98-113.
- Lettevall, E., C. Richter, N. Jaquet, E. Slooten, S. Dawson, H. Whitehead, J. Christal and P. McCall Howard. 2002. Social structure and residency in aggregations of male sperm whales. Can. J. Zool. 80:1189-1196.
- Levenson, D.H. and R.J. Schusterman. 1997. Pupillometry in seals and sea lions: ecological implications. Canadian Journal of Zoology 75:2050-2057.
- LGL Limited. 2003. Orphan Basin Strategic Environmental Assessment. LGL Rep. SA767. Report by LGL Limited, St. John's, NL, prepared for Canada-Newfoundland Offshore Petroleum Board, St. John's, NL.
- LGL. 2004. 2004 Laurentian 2-D Seismic Survey Environmental Assessment. LGL Rep. SA816. Prepared by LGL Limited, St. John's, NL, and Canning & Pitt, Inc., St. John's, NL, for ConocoPhillips Canada Resources Corporation, Calgary, AB...
- LGL. 2005. Orphan Basin Exploration Drilling Program Environmental Assessment. LGL Rep. SA825. Rep. by LGL Limited, St. John's, NL, Canning & Pitt Associates, Inc., St. John's, NL, SL Ross Environmental Research Limited, Ottawa, ON, Oceans Limited, St. John's, NL, Lorax Environmental, Vancouver, BC, and PAL Environmental Services, St. John's, NL, for Chevron Canada Limited, Calgary, AB, ExxonMobil Canada Ltd., St. John's, NL, Imperial Oil Resources Ventures Limited, Calgary, AB and Shell Canada Limited. 353 p.
- LGL. 2006. Husky Delineation/Exploration Drilling Program for Jeanne d'Arc Basin Area Environmental Assessment Update. LGL Rep. SA886. Rep. by LGL Limited, St. John's, NL, Oceans Limited, St. John's, NL, Canning & Pitt Associates, Inc., St. John's, NL, and PAL Environmental Services, St. John's, NL, for Services, St. John's, NL, for Husky Oil Operations Limited, St. John's, NL. 67 p. + appendix.
- Lien, J. and F. Barry. 1990. Status of Sowerby's beaked whale, *Mesoplodon bidens*, in Canada. Can. Field-Natur. 104(1):125-130.
- Lock, A.R., R.G.B. Brown and S.H. Gerriets. 1994. Gazetteer of marine birds in Atlantic Canada. An atlas of seabird vulnerability to oil pollution. Canadian Wildlife Service, Environmental Conservation Branch, Environment Canada, Atlantic Region. 137 p.
- Lockyer, C., M.P. Heide-Jørgensen, J. Jensen, C.C. Kinze and T. Buus Sørensen. 2001. Age, length and reproductive parameters of harbour porpoises *Phocoena phocoena* (L.) from West Greenland. ICES J. Mar. Sci. 58:154-162.
- Lockyer, C.H. and S.G. Brown. 1981. The migration of whales. pp. 105-137. In: D.J. Aidley (ed.), Animal Migration. Society for Experimental Biology Seminar Series 13, Cambridge University Press. 264 p.
- Lorax. 2006. Laurentian Sub-Basin well cuttings/mud deposition modeling. Unpubl. Rep. Prepared for LGL Limited and ConocoPhillips Canada.
- Lowry, L.F., K.J. Frost and K.W. Pitcher. 1994. Observations of oiling of harbor seals in Prince William Sound. pp. 209-225. In: T.R. Loughlin (ed.), Marine mammals and the Exxon Valdez. Academic Press, San Diego. 395 p.
- Lutz, P.L., M. Lutcavage and C.W. Cailliet. 1989. The effects of petroleum on sea turtles: applicability to Kemp's Ridley. pp. 52-54. In: A.M. Landry (ed.), Proceedings of the First International symposium on Kemp's Ridley Sea Turtle Biology, Conservation and Management, October 1-4, 1985, Galveston, TX. Texas A&M University Sea Grant Program.
- Lynch, K.D. 1987. Humpback, Finback, Minke and Pilot Whale Distributions in Newfoundland and Labrador 1976 – 1983. M.Sc. thesis. Department of Psychology, Memorial University of Newfoundland, St. John's, Newfoundland. 196 p.
- MacIssac, K., C. Bourbonnais, E. Kenchington, D. Gordon Jr., and S. Gass. 2001. Observations on the occurrence and habitat preference of corals in Atlantic Canada. In: (eds.) J.H.M. Willison, J. Hall, S.E. Gass, E.L.R. Kenchington, M. Butler, and P. Doherty. Proceedings of the First International Symposium on Deep-Sea Corals. Ecology Action Centre and Nova Scotia Museum, Halifax, Nova Scotia.
- Mackintosh, N.A. 1965. The Stocks of Whales. Fishing News, London, U.K. 232 p.
- Macko, S.A. and S.M. King. 1980. Weathered oil: Effect on hatchability of Heron and Gull Eggs. Bulletin of Environmental Contamination and Toxicology, 25: 316-320.

- Madsen, P.T., M. Wahlberg and B. Mohl. 2002a. Male sperm whale (*Physeter macrocephalus*) acoustics in a high-latitude habitat: implications for echolocation and communication. *Behav. Ecol. Sociobiol.* 53:31-41.
- Madsen, P.T., R. Payne, N.U. Kristiansen, M. Wahlberg, I. Kerr and B. Mohl. 2002b. Sperm whale sound production studied with ultrasound time/depth-recording tags. *J. Exp. Biol.* 205:1899-1906.
- Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack and J.E. Bird. 1984. Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior/Phase II: January 1984 migration. BBN Rep. 5586. Rep. from Bolt Beranek & Newman Inc., Cambridge, MA, for U.S. Minerals Manage. Serv., Anchorage, AK. Var. pag. NTIS PB86-218377.
- Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack, and J.E. Bird. 1983. Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior. BBN Rep. 5366. Bolt, Beranek and Newman Rep. for Minerals Management Service, U.S. Dept. of the Interior, Washington, DC. Var. pag.
- Malme, C.I., P.R. Miles, P. Tyack, C.W. Clark and J.E. Bird. 1985. Investigation of the potential effects of underwater noise from petroleum industry activities on feeding humpback whale behavior. BBN Rep. 5851; OCS Study MMS 85-0019. Rep. from BBN Labs Inc., Cambridge, MA, for U.S. Minerals Manage. Serv., Anchorage, AK. Var. pag. NTIS PB86-218385.
- Mann, D.A., R.A. Varela, J.D. Goldstein, S.D. McCulloch, G.D. Bossart, J.J. Finneran, D. Houser and M.L.H. Cook. 2005. Gervais' beaked whale auditory evoked potential hearing measurements. Abstracts of the 16th biennial conference on the biology of marine mammals, San Diego, CA, 12-16 December 2005.
- Mansfield, A.W. 1970. Field report of seal investigations in Chedabucto Bay and at Sable Island, Nova Scotia 2 March-7 April 1970. Fisheries Research Board of Canada, Arctic Biological Station., Ste. Anne de Bellevue, PQ.
- Marquez, R. 1990. FAO Species Catalogue. Vol. 11. Sea turtles of the world. An annotated and illustrated catalogue of sea turtle species known to date. FAO Fisheries Synopsis No. 125 vol. 11. 81 p.
- Marquez, R., J. Diaz, M. Sanchez, P. Burchfield, A. Leo, M. Carrasco, J. Pena, C. Jimenez and R. Bravo. 1999. Results of the Kemp's ridley nesting beach conservation efforts in Mexico. *Marine Turtle Newsletter* 85: 2-4.
- Martec. 1984. Report on the Environmental Program Associated with the Blowout at Shell et.al. Uniacke G-72. Report for Shell Canada Resources Limited.
- Marty, G.D., J.E. Hose, M.D. McGurk, E.D. Brown and D.E. Hinton. 1997. Histopathology and cytogenetic evaluation of Pacific Herring larvae exposed to petroleum hydrocarbons in the laboratory or in Prince William Sound, Alaska, after the *Exxon Valdez* Oil Spill. *Canadian Journal of Fisheries and Aquatic Sciences*, 54: 1846-1857.
- Marty, G.D., M.S. Okihiro, E.D. Brown, D. Hanes and D.E. Hinton. 1999. Histopathology of adult Pacific Herring in Prince William Sound, Alaska, after the *Exxon Valdez* Oil Spill. *Canadian Journal of Fisheries and Aquatic Sciences*, 56: 419-426.
- Mate, B.R., S.L. Niekirk and S.D. Kraus. 1997. Satellite-monitored movements of the northern right whale. *J. Wildl. Manage.* 61(4):1393-1405.
- Mathieu, A. 2005. Health effect indicators in American plaice (*Hippoglossoides platessoides*) from the Terra Nova Development Site, Grand Banks, NL, Canada. In: (eds) S.L. Armsworthy, P.J. Cranford, and K. Lee. Offshore Oil and Gas Environmental Effects Monitoring: Approaches and Technologies. Batelle Press, Columbus, Ohio.
- Matkin, C.O., G.M. Ellis, M.E. Dahlheim and J. Zeh. 1994. Status of killer whales in Prince William Sound, 1985-1992. pp. 141-162. In: T.R. Loughlin (ed.), *Marine Mammals and the Exxon Valdez*. Academic Press, San Diego. 395 p.
- Mattila, D.K., P.J. Clapham, S.K. Katona and G.S. Stone. 1984. Population composition of humpback whales, *Megaptera novaeangliae*, on Silver Bank, 1984. *Can. J. Zool.* 67:281-285.
- Mayer, L.A., A.N. Shor, J.H. Clarke, and D.J.W. Piper. 1988. Dense biological communities at 3850 m on the Laurentian Fan and their relationship to the deposits of the 1929 Grand Banks earthquake. *Deep-Sea Res.* 35(8): 1235-1246.
- McEwan, E.H. and F.C. Koelink. 1973. The Heat Production of Oiled Mallards and Scaup. *Canadian Journal of Zoology*, 51: 27-31.
- McEwan, E.H. and P.M. Whitehead. 1980. Uptake and clearance of petroleum hydrocarbons by the Glaucous-winged Gull (*Larus glaucescens*) and the Mallard Duck (*Anas platyrhynchos*). *Canadian Journal of Zoology*, 58:723-726.

- McLellan, H. J. 1957. A slope water survey - July 1954. Fish. Res. Board Can. Manuscript reports of the biological stations; Vol. 632, 49p.
- Mead, J.G. 1989. Beaked whales of the genus *Mesoplodon*. pp. 349-430. In: S.H. Ridgway and R.J. Harrison (eds.), Handbook of Marine Mammals. Vol. 4. River Dolphins and the Larger Toothed Whales. Academic Press, San Diego, CA. 444 p.
- Mecklenberg, T.A., S.D. Rice and J.F. Karinen. 1977. Molting and survival of King Crab (*Paralithodes camtschatica*) and Coonstripe Shrimp (*Pandalus hypsinotus*) larvae exposed to Cook Inlet crude oil water-soluble fraction. pp. 221-228. In: D.A. Wofe (ed.), Fate and effects of Petroleum Hydrocarbons in marine Organisms and Ecosystems. Proceedings of a Symposium, 10-12 November 1976. Seattle, Washington. Pergamon Press, Oxford.
- Mellinger, D.K., C.D. Carson and C.W. Clark. 2000. Characteristics of minke whale (*Balaenoptera acutorostrata*) pulse trains recorded near Puerto Rico. Mar. Mamm. Sci. 16(4):739-756.
- Miller, D.S., D.B. Peakall and W.B. Kinter. 1978. Ingestion of crude oil: Sublethal effects in Herring Gull Chicks. Science, 199: 315-317.
- Miller, G.W. and R.A. Davis. 2002. Marine mammal and acoustical monitoring of Anderson Exploration Ltd.'s open-water seismic program in the southeastern Beaufort Sea. Devon Canada Corporation, LGL Rep. TA2618-1, Calgary, AB. 199 p.
- Miller, H.G. (1995). Geophysical Characteristics, Chapter 7 in Geology of the Appalachian -Caledonian Orogen in Canada and Greenland, H. Williams (ed.); Geological Survey of Canada, Geology of Canada, no. 6, p. 603-627.
- Misund, O.A. 1997. Underwater acoustics in marine fisheries and fisheries research. Rev. Fish. Biol., 7: 1-34.
- Misund, O.A., J.T. Øvredal and M.T. Hafsteinsson. 1996. Reactions of herring schools to the sound field of a survey vessel. Aquat. Living Resour. 9: 5-11.
- Mitchell, E. 1977. Canadian progress report on whale research – June 1975 to May 1976. Rep. Int. Whal. Commn 27:73-85.
- Mitchell, E. and D.G. Chapman. 1977. Preliminary assessment of stocks of North Atlantic sei whales (*Balaenoptera borealis*). Rep. Int. Whal. Commn Spec. Iss. 1:117-120.
- Mitchell, E.D. 1975. Report on the meeting on small cetaceans, Montreal, April 1-11, 1974. J. Fish. Res. Bd. Can. 32:914-91.
- Mizroch, S.A., D.W. Rice and J.M Breiwick. 1984. The sei whale, *Balaenoptera borealis*. Mar. Fish. Rev. 46(4):25-29.
- MMS (Minerals Management Service). 1997. Federal offshore statistics: 1995. Leasing, exploration, production and revenues to December 31, 1995. U.S. Department of the Interior, Mineral Management Service, Operations and Safety Management, OCS Report MMS 97-0007.
- MMS. 2000. Environmental impacts of synthetic based drilling fluids. U.S. Dept. Interior Minerals Management Service Gulf of Mexico OCS region. OCS Study MMS 2000-064. 121 p.
- MMS. 2004a. Data quality control and emissions inventories of OCS oil and gas production activities in the Breton area of the Gulf of Mexico. Final Report. OCS Study MMS 2004-071. U.S. Dept. Interior Minerals Management Service Gulf of Mexico OCS Region.
- MMS. 2004b. Geological and geophysical exploration for mineral resources on the Gulf of Mexico outer continental shelf. Final programmatic environmental assessment. US Dept. of Interior Minerals Management Service Gulf of Mexico OCS Region. OCS EIS/EA MMS 2004-054.
- Mobil 1985. Hibernia Development Project, environmental impact statement. Volume IIIa: Biophysical Assessment. Mobil Oil Canada, Ltd. (Operator), Gulf Canada Resources Inc., Petro-Canada Inc., Chevron Canada Resources Ltd., and Columbia Gas Development of Canada Ltd. 258 p.
- Møhl, B., M. Wahlberg, P.T. Madsen, L.A. Miller and A. Surlykke. 2000. Sperm whale clicks: directionality and source level revisited. J. Acoust. Soc. Am. 107(1):638-648.
- Moles, A. and B.L. Norcross. 1998. Effects of oil-laden sediments on growth and health of Juvenile Flatfishes. Canadian Journal of Fisheries and Aquatic Sciences, 55: 605-610.
- Moore, S.F. and R.L. Dwyer. 1974. Effects of oil on marine organisms: A critical assessment of published data. Water Research, 8: 819-827.

- Mortensen, P.B. and L. Buhl-Mortensen. 2004. Distribution of deep-water gorgonian corals in relation to benthic habitat features in the Northeast Channel (Atlantic Canada). *Mar. Biol.* 144: 1223-1238.
- Mortensen, P.B., L. Buhl-Mortensen, S.E. Gass, D.C. Gordon Jr., E.L.R. Kenchington, C. Bourbonnais, and K.G. MacIssac. *In press*. Deep-water corals in Atlantic Canada: A summary of ESRF-funded research (2001-2003). Environmental Studies Research Funds. December 2004.
- Morton, A.B. and H.K. Symonds. 2002. Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES J. Mar. Sci.* 59:71-80.
- Moulton, V.D. and G.W. Miller 2004. Marine mammal monitoring of Marathon Canada Petroleum's 3-D seismic program on the Scotian Slope, 2003. LGL rep. SA759-1. Rep. from LGL Ltd., St. John's, NL, for Marathon Canada Petroleum, Halifax, Nova Scotia. 94 p. + appendices.
- Moulton, V.D. and J.W. Lawson. 2002. Seals, 2001. pp. 3-1 to 3-48. In: W.J. Richardson (ed.), Marine mammal and acoustical monitoring of WesternGeco's open water seismic program in the Alaskan Beaufort Sea, 2001. Rep. from LGL Ltd., King City, Ont., and Greeneridge Sciences Inc., Santa Barbara, CA, for WesternGeco, Houston, TX, and Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD. LGL Rep. TA2564-4.
- Moulton, V.D., B.D. Mactavish and R.A. Buchanan. 2006. Marine mammal and seabird monitoring of ConocoPhillips' 3-D seismic program, Laurentian Sub-basin, 2005. LGL Rep. SA849. Rep. by LGL Limited, St. John's, NL, for ConocoPhillips Canada Resources Corporation, Calgary, AB. 97 p. + appendices.
- Moulton, V.D., B.D. Mactavish, R.E. Harris and R.A. Buchanan. 2006b. Marine mammal and seabird monitoring of Chevron Canada Limited's 3-D seismic program on the Orphan Basin, 2005. LGL Rep. SA843. Rep. by LGL Limited, St. John's, NL, for Chevron Canada Limited, Calgary, AB, ExxonMobil Canada Ltd., St. John's, NL, Shell Canada Limited, Calgary, and Imperial Oil Resources Ventures Ltd., Calgary, AB. 111p. + appendices.
- Moulton, V.D., J. Christian, R.A. Pitt, B.D. Mactavish and R.A. Buchanan. 2005a. Orphan Basin 3-D seismic program, environmental assessment update, 2005. LGL Rep. SA839. Rep. by LGL Limited and Canning & Pitt Associates Inc., St. John's, NL, for Chevron Canada Limited, Calgary, AB, ExxonMobil Canada Ltd., St. John's, NL, and Imperial Oil Resources Ventures Limited, Calgary, AB. 51 p. + appendix.
- NAMMCO (North Atlantic Marine Mammal Commission). 1997. Report of the Scientific Committee. pp. 96-178. In: NAMMCO annual Report 1996. North Atlantic Marine Mammal Commission, Tromsø, Norway.
- National Research Council. 2002. Oil in the Sea III: Inputs, Fates, and Effects, Committee on Oil in the Sea: Inputs, Fates, and Effects, National Research Council, pp. 446, National Academy Press, Washington, D.C. (*see* [http://www.nmfs.gov/sfa/hms/FSEIS%20FINAL%20appendices.htm](http://books.nap.edu/books/0309084385/html/R1.html#pagetop for viewing or page-by-page download in pdf)</p><p>NEB, C-NOPB and C-NSOPB. 1999. Guidelines respecting the selection of chemicals intended to be used in conjunction with offshore drilling and production activities on frontier lands. Prepared by National Energy Board, Canada – Newfoundland Offshore Petroleum Board and the, Canada – Nova Scotia Offshore Petroleum Board. 16 p.</p><p>NEB, C-NOPB and C-NSOPB. 2002. Offshore waste treatment guidelines. Prepared by National Energy Board, Canada – Newfoundland Offshore Petroleum Board and the Canada – Nova Scotia Offshore Petroleum Board. 11 p + App.</p><p>Neff, J.M. 1985. Polycyclic aromatic hydrocarbons. pp. 416-454. In: G.M. Rand and S.R. Petrodelli (eds.), Fundamentals of aquatic toxicology. Hemisphere Publ. Corp., Washington.</p><p>Nettleship, D.N. 1980. A guide to the major seabird colonies of eastern Canada - identity, distribution and abundance. Canadian Wildlife Service Manuscript Report. 133 p.</p><p>NMFS (National Marine Fisheries Service). 1998. Recovery plan for the blue whale (<i>Balaenoptera musculus</i>). Prepared by R.R. Reeves, P.J. Clapham, R.L. Brownell, Jr. and G.K. Silber for the NMFS, Silver Spring, MD. 42 p.</p><p>NOAA. 2000. Final supplemental environmental impact statement regulatory amendment 1 to the Atlantic tunas, swordfish, and sharks fishery management plan. Reduction of Bycatch Mortality, and Incidental Catch in the Atlantic Pelagic Longline Fishery. <a href=)
- Norcross, B.L., J.E. Hose, M. Frandsen and E.D. Brown. 1996. Distribution, abundance, morphological condition, and cytogenetic abnormalities of larval Herring in Prince William Sound, Alaska, following the *Exxon Valdez* oil spill. *Canadian Journal of Fisheries and Aquatic Sciences*, 53: 2,376-2,387.

- Nowell, A.R.M. and C.D. Hollister. 1985. The objectives and rationale of HEBBLE. *Mar. Geol.* 66: 1-11.
- NRCan. (2006). Earthquakes in Southeastern Canada. Natural Resources Canada website, found at: www.seisom.nrcan.gc.ca/historic_eq/eastcan_e.php
- O'Corry-Crowe, G.M. 2002. Beluga whale *Delphinapterus leucas*. pp. 94-99. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego, CA. 1414 p.
- Oceans. 2006. Physical Environment Study for Laurentian Sub-basin. Unpubl. Rep. for LGL Limited, St. John's, NL, and ConocoPhillips Canada, Calgary, AB. 73 p. + appendices.
- OGP. 2003. Environmental aspects of the use and disposal of non aqueous drilling fluids associated with offshore oil and gas operations. International Association of Oil & Gas Producers Report No. 342. 112 p.
- Ollerhead, L.M.N., M.J. Morgan, D.A. Scruton, and B. Marrie. 2004. Mapping spawning times and locations for 10 commercially important fish species found on the Grand Banks of Newfoundland. *Can. Tech. Rep. Fish. Aquat. Sci.* 2522: iv + 45 p.
- Olsen, K. 1969. A comparison of acoustic threshold in cod with recordings of ship-noise. pp. 431-438. In: Proceedings of the FAO conference on fish behaviour in relation to fishing techniques and tactics. FAO Fisheries Report No. 62. Vol. 2, Rome.
- Olson, P.A. and S. B. Reilly. 2002. Pilot whales. pp. 898-903. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego, CA. 1414 p.
- Orr, C.D. and J.L. Parsons. 1982. Ivory Gulls *Pagophilia eburnea* and ice-edges in Davis Strait and the Labrador Sea. *Canadian Field Naturalist* 96:323-328.
- Palka, D. 2001. Density estimates of cetaceans and turtles in two strata on the Scotian Shelf, Version 2. Unpublished contract manuscript prepared for DFO Bedford Institute of Oceanography, Bedford, NS.
- Palsbøll, P.J., P.J. Clapham, D.K. Mattila, F. Larsen, R. Sears, H.R. Siegismund, J. Sigurjónsson, O. Vasquez and P. Arctander. 1995. Distribution of mtDNA haplotypes in North Atlantic humpback whales: the influence of behaviour on population structure. *Mar. Ecol. Prog. Ser.* 116:1-10.
- Parnell, J.F., M.A. Shield and D. Frierson, Jr. 1984. Hatching success of brown Pelican Eggs after contamination with oil. *Colonial Waterbirds*, 7: 22-24.
- Parsons, J., J. Spry and T. Austin. 1980. Preliminary observations on the effect of Bunker C Fuel Oil on seals on the Scotian Shelf. pp. 193-202. In: Proceedings at a Workshop, Bedford Institute of Oceanography, Dartmouth, NS.
- Patenaude, N.J., W.J. Richardson, M.A. Smultra, W.J. Richardson, W.R. Koski, G.W. Miller, B. Würsig and C.R. Greene, Jr. 2002. Aircraft sound and disturbance to bowhead and beluga whales during spring migration in the Alaskan Beaufort Sea. *Mar. Mamm. Sci.* 18(2):309-335.
- Patin, S. 1999. Environmental impact of the offshore oil and gas industry. EcoMonitor Publishing, East Northport, NY.
- Payne, J.F., C. Andrews, S. Whiteway, and K. Lee. 2001a. Definition of sediment toxicity zones around oil development sites: dose response relationships for the monitoring suurogates Microtox and amphipods, exposed to Hibernia source cuttings containing a synthetic base oil. *Can. Data Rep. Fish. Aquat. Sci.* No. 2577: iv + 10 p.
- Payne, J.F., L.L. Fancey, A.D. Rahimtula, and E.L. Porter. 1987. Review and perspective on the use of mixed function oxygenase enzymes in biological monitoring. *Comp. Biochem. Physiol.* 86C: 233-245.
- Payne, J.F., L.L. Fancey, C.D. Andrews, J.D. Meade, F.M. Power, K. Lee, G. Veinoff and A. Cook. 2001b. Laboratory exposures of invertebrate and vertebrate species to concentrations of IA-35 (Petro Canada) drill mud fluid, production water and Hibernia drill mud cuttings. *Can. Data Rep. Fish. Aquat. Sci.* In Press.
- Payne, J.F., L.L. Fancey, J. Hellou, M.J. King, and G.L. Fletcher. 1995. Aliphatic hydrocarbons in sediments: a chronic toxicity study with winter flounder (*Pleuronectes americanus*) exposed to oil well drill cuttings. *Can. J. Fish. Aquat. Sci.* 52: 2724-2735.
- Payne, R., O. Brazier, E.M. Dorsey, J.S. Perkins, V.J. Rowntree, and A. Titus. 1983. External features in southern right whales (*Eubalaena australis*) and their use in identifying individuals. pp. 371-445. In: R. Payne (Ed.), *Communication and behavior of whales*. AAAS Sel. Symp. 76. Westview Press, Boulder, CO. 643 p.

- Peakall, D.B., D. Hallet, D.S. Miller, R.G. Butler and W.B. Kinter. 1980. Effects of ingested crude oil on Black Guillemots: A combined field and laboratory study. *Ambio*, 9: 28-30.
- Peakall, D.B., D.J. Hallet, J.R. Bend, G.L. Foureman and D.S. Miller. 1982. Toxicity of Prudhoe Bay crude oil and its aromatic fractions to nestling Herring Gulls. *Environmental Research*, 27: 206-215.
- Pearson, W.H., D.L. Woodruff, P.C. Sugarman and B.L. Olla. 1984. The burrowing behavior of Sand Lance, *Ammodytes hexapterus*: Effects of oil-contaminated sediment. *Marine Environmental Research*, 11: 17-32.
- Perrin, W.F. and R.L. Brownell, J. 2002. Minke whales. pp. 750-754. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), *Encyclopedia of Marine Mammals*. Academic Press, San Diego, CA. 1414 p.
- Perrin, W.F., C.E. Wilson and F.I. Archer II. 1994. Striped dolphin *Stenella coeruleoalba* (Meyen, 1833). pp. 129-159. In: S. H. Ridgway and R. J. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 5. The First Book of Dolphins. Academic Press, San Diego, CA.
- Perry, E.A., G.B. Stenson, S.E. Bartlett, W.S. Davidson and S.M. Carr. 2000. DNA sequence analysis identifies genetically distinguishable populations of harp seals (*Pagophilus groenlandicus*) in the northwest and northeast Atlantic. *Mar. Biol.* 137:53-58.
- Petrie B. and C.S. Mason 2000 Satellite Measurements of Sea Surface Temperature: an Application to Regional Ocean Climate. Canadian Stock Assessment Secretariat. Research Document 2000/061.
- Petrie, B., P. Yeats and Strain P. 1999. Nitrate, Silicate and Phosphate Atlas for the Scotian Shelf and the Gulf of Maine. *Can. Tech. Rep. Hydrogr. Ocean Sci.* 203, vii-96p.
- Petro-Canada. 1996a. Development Application: Terra Nova Development. Environmental impact statement. St. John's, NL.
- Petro-Canada. 1996b. Development Application: Terra Nova Development. Environmental impact statement. Supplement. St. John's, NL.
- Piatt, J.F., C.J. Lensink, W.Butler, M. Kendziorek and D.R. Nysewander. 1990. Immediate impact of the *Exxon Valdez* oil spill on marine birds. *Auk*, 107: 387-397.
- Pickart R.S., T.K. McKee, D.J. Torres and S.A. Harrington. 1999. Mean Structure and Interannual Variability of the Slopewater System South of Newfoundland. *Journal of Physical Oceanography*. Vol. 29. October, 1999.
- Piper, D.J.W., P. Cochonat and M.L. Morrison. 1999. The Sequence of Events Around the Epicentre of the 1929 Grand Banks Earthquake: Initiation of Debris Flows and Turbidity Current Inferred from Sidescan Sonar. *Sedimentology*, vol. 46, p. 79-97.
- Piper, D.J.W., A.W.A. Macdonald, S. Ingram, G.L. Williams, and C. McCall. 2005. Late Cenozoic Architecture of the St. Pierre Slope. *Canadian Journal of Earth Sciences*, vol. 42, p. 1987-2000.
- Piper, D.J.W., P.J. Mudie, G.B. Fader, H.W. Josenhans, B. Maclean, and G. Vilks. 1990. Quaternary Geology, Chapter 10. In: *Geology of the Continental Margin of Eastern Canada*, M.J. Keen and G.L. Williams (ed.); Geological Survey of Canada, *Geology of Canada*, no. 2, p. 475-607.
- Power, D. and F. Mowbray. 2000. The status of redfish in Unit 2. *Can. Stock Assess. Sec. Research Document* 2000/136.
- Read, A.J. 1999. Harbour porpoise *Phocoena phocoena* (Linnaeus, 1758). pp. 323-355. In: S. H. Ridgway and R. J. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 6. The Second Book of Dolphins and the Porpoises. Academic Press, San Diego, CA. 486 p.
- Reeves, R.R. and H. Whitehead. 1997. Status of the sperm whale, *Physeter macrocephalus*, in Canada. *Can. Field-Natur.* 111(2):293-307.
- Reeves, R.R., B.S. Stewart, P.J. Clapham and J.A. Powell (eds.). 2002. *National Audubon Society Guide to Marine Mammals of the World*. Alfred A. Knopf, New York. 527 p.
- Reeves, R.R., C. Smeenk, C.C. Kinze, R.L. Brownell, Jr. and J. Lien. 1999a. Atlantic white-sided dolphin *Lagenorhynchus acutus* Gray, 1828. pp. 31-56. In: S. H. Ridgway and R. J. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 6. The Second Book of Dolphins and the porpoises. Academic Press, San Diego, CA. 486 p.

- Reeves, R.R., C. Smeenk, C.C. Kinze, R.L. Brownell, Jr., and J. Lien. 1999b. White beaked dolphin *Lagenorhynchus albirostris* Gray, 1846. p. 1-30. In: Handbook of Marine Mammals, Vol 6. Academic Press, San Diego, CA.
- Rendell, L.E. and H. Whitehead. 2003. Vocal clans in sperm whales (*Physeter macrocephalus*). Proc. R. Soc. Lond. B 270:225-231.
- Rice, D.W. 1989. Sperm whale *Physeter macrocephalus* Linnaeus, 1758. pp. 177-233. In: S.H. Ridgway and R. Harrison (eds.), Handbook of Marine Mammals. Vol. 4. River Dolphins and the Larger Toothed Whales. Academic Press, San Diego, CA. 444 p.
- Rice, S.D. 1985. Effects of oil on fish. pp. 157-182. In: F.R. Engelhardt (ed.), Petroleum Effects in the Arctic Environment. Elsevier Science Publishing Co., NY.
- Rice, S.D., D.A. Moles, T.L. Taylor and J.F. Karinen. 1979. Sensitivity of 39 Alaskan marine species to Cook Inlet crude oil and No.2 fuel oil. pp. 549-554. In: API, EPA, and USCG, 1979 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), Proceedings. American Petroleum Institute, Washington, DC.
- Rice, S.D., M.M. Babcock, C.C. Brodersen, M.G. Carls, J.A. Gharrett , S. Korn, A. Moles and J.W. Short. 1986. Lethal and sub-lethal effects of the water-soluble fraction of Cook Inlet Crude on Pacific Herring (*Clupea harengus pallasi*) reproduction. Final report, Outer Continental Shelf Environmental Assessment Program, NOAA.
- Rice, S.D., R.B. Spies, D.A. Wolfe, and B.A. Wright (eds). 1996. Proceedings of the *Exxon Valdez* oil spill symposium. American Fisheries Society Symposium 18, Bethesda, MD.
- Richardson, W. J., C. R. Greene Jr., C. I. Malme and D. H. Thomson. 1995. Marine Mammals and Noise. Academic Press, San Diego. 576 p.
- Richardson, W.J. 1995. Marine mammal hearing. pp. 205-240. In: W.J. Richardson, C.R. Greene, Jr., C.I. Malme and D.H. Thomson, Marine Mammals and Noise. Academic Press, San Diego, CA. 576 p.
- Richardson, W.J. and B. Würsig. 1997. Influences of man-made noise and other human actions on cetacean behaviour. Mar. Freshwat. Behav. Physiol. 29(1-4):183-209.
- Richardson, W.J. and M.T. Williams (eds.). 2004. Monitoring of industrial sounds, seals, and bowhead whales near BP's Northstar oil development, Alaskan Beaufort Sea, 1999–2003. Rep. from LGL Ltd., (King City, Ont.), Greeneridge Sciences Inc., (Santa Barbara, CA), and WEST Inc. (Cheyenne, WY), for BP Explor. (Alaska) Inc., Anchorage, AK, and Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD.
- Richardson, W.J., B.W. Würsig, and C.R. Greene Jr. 1990. Reactions of bowhead whales, *Balaena mysticetus*, to drilling and dredging noise in the Canadian Beaufort Sea. Mar. Environ. Res. 29(2):135-160.
- Richardson, W.J., M.A. Fraker, B. Würsig, and R.S. Wells. 1985a. Behaviour of bowhead whales *Balaena mysticetus* summering in the Beaufort Sea: reactions to industrial activities. Biol. Conserv. 32(3):195-230.
- Richardson, W.J., R.S. Wells, and B. Würsig. 1985b. Disturbance responses of bowheads, 1980-84. pp. 89-196. In: W.J. Richardson (Ed.), Behavior, disturbance responses and distribution of bowhead whales *Balaena mysticetus* in the eastern Beaufort Sea, 1980-84. OCS Study MMS 85-0034. Rep. from LGL Ecol. Res. Assoc. Inc., Bryan, TX, for U.S. Minerals Manage. Serv., Reston, VA. 306 p. NTIS PB87-124376.
- Ridgway, S.H. and D.A. Carder. 1997. Hearing deficits measured in some *Tursiops truncatus*, and discovery of a deaf/mute dolphin. J. Acoust. Soc. Am. 101(1):590-594.
- Ridgway, S.H., D.A. Carder, T. Kamolnick, R.R. Smith, C.E. Schlundt and W.R. Elsberry. 2001. Hearing and whistling in the deep sea: Depth influences whistle spectra but does not attenuate hearing by white whales (*Delphinapterus leucas*) (Odontoceti, Cetacea). J. Exp Biol. 204:3829-3841.
- Ridgway, S.H., E.G. Wever, J.G. McCormick, J. Palin and J.H. Anderson. 1969. Hearing in the giant sea turtle, *Chelonia mydas*. Proc. Nat. Acad. Sci. U.S. 64:884-890.
- Robards, M.D. and J.F. Piatt. 1999. Biology of the genus *Ammodytes*, the sand lances. pp 1-16. In: M.D. Robards, M.F. Wilson, R.H. Armstrong and J.F. Piatt (eds.) Sand Lance: A Review of Biology and Predator Relations and Annotated Bibliography. *Exxon Valdez* Oil Spill Restoration Project 99346: Final Report.
- Roberts, J.M., D. Long, J.B. Wilson, P.B. Mortensen, and J.D. Gage. 2003. The cold-water coral *Lophelia pertusa* (Scleratinia) and enigmatic seabed mounds along the north-east Atlantic margin: are they related? Mar. Poll. Bull. 46: 7-20.

- Robertson, G.J. and R.D. Elliot. 2002. Changes in seabird populations breeding on Small Island, Wadham Islands, Newfoundland. Canadian Wildlife Service Technical Report Series No.381. Atlantic Region.
- Robertson, G.J., D. Fifield, M. Massaro and J.W. Chardine. 2001. Changes in nesting-habitat use of large gulls breeding in Witless Bay, Newfoundland. Can. J. Zool. 79:2159-2167.
- Robertson, G.J., S.I. Wilhelm and P.A. Taylor. 2004. Population size and trends of seabirds breeding on Gull and Great Islands, Witless Bay Islands Ecological Reserve, Newfoundland, up to 2003. Canadian Wildlife Service Technical Report Series No. 418. Atlantic Region.
- Rodway, M.S., H.M. Regehr and J.W. Chardine. 2003. Status of the largest breeding concentration of Atlantic Puffins, *Fratercula arctica*, in North America. Canadian Field Naturalist 117:70-75.
- Rogers, E. and L.F. Bosart. 1986. An Investigation of Explosively Deepening Oceanic Cyclones. Monthly Weather Review, Vol. 114, 702-718.
- Rogers, J.C., 1984. The association between the North Atlantic Oscillation and the Southern Oscillation in the Northern Hemisphere. Mon. Wea. Rev., Vol. 112, 1999-2015.
- Rosel, P.E., R. Tiedemann and M Walton. 1999. Genetic evidence for limited trans-Atlantic movements of the harbor porpoise *Phocoena phocoena*. Mar. Biol. 133:583-591.
- Sage, B. 1979. Flare up over North Sea birds. New Scientist. 81: 464-466.
- Sanders, H.L., J.F. Grassle, G.R. Hampson, L.S. Morse, S. Garner-Price and C.C. Jones. 1990. Anatomy of an oil spill: Long-term effects from the grounding of the Barge Florida off West Falmouth, Massachusetts. Journal of Marine Research, 38: 265-380.
- Saunders, F. and J.R. Gyakum, 1980. Synoptic-Dynamic Climatology of the “Bomb”. Monthly Weather Review, Vol. 108, 1589-1606.
- Scandpower A/S 2000. Blowout Frequencies 2000, BlowFAM Edition, Report No. 27.20.01/R3, March 2000.
- Schreer, J.F. and K.M. Kovacs. 1997. Allometry of diving capacity in air-breathing vertebrates. Can. J. Zool. 75(3):339-358.
- Scott, MD. And K.L. Cattanach. 1998. Diel patterns in aggregations of pelagic dolphins and tunas in the eastern Pacific. Mar. Mamm. Sci. 14(3):401-428.
- Scott, W.B. and M.G. Scott. 1988. Atlantic fishes of Canada. Can. Bull. Fish. Aquat. Sci. 219: 731 p.
- Sears, R. 2002. Blue whale. pp. 112-116. In: W.F. Perrin, B. Würsig and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, San Diego, CA. 1414 p.
- Sergeant, D.E. 1991. Harp Seals, man and ice. Canadian Special Publications of Fisheries and Aquatic Sciences, 114:153 p.
- Sergeant, D.E. 1963. Minke whales, *Balaenoptera acutorostrata* Lacépède of the western North Atlantic. J. Fish. Res. Board Can. 20:1489-1504.
- Sergeant, D.E. 1966. Populations of large whale species in the western North Atlantic with special reference to the fin whale. Fish. Res. Bd. Can. Circ. No. 9.
- Sergeant, D.E. 1977. Stocks of fin whales *Balaenoptera physalus* L. in the North Atlantic Ocean. Rep. Int. Whal. Commn 27:460-473.
- Sergeant, D.E. 1991. Harp seals, man and ice. Can. Spec. Publ. Fish. Aquat. Sci. 114:153 p.
- Shane, S.H., R.S. Wells, and B. Würsig. 1986. Ecology, behavior and social organization of bottlenose dolphin: a review. Mar. Mamm. Sci. 2(1):34-63.
- Sharples, B.P.M., J.J. Stiff, D.W. Kalinowski and W.G. Tidmarsh. 1989. Statistical risk methodology: Application for pollution risks from Canadian Georges Bank drilling program. Paper presented at the 21st annual Offshore Technology Conference, Houston, Texas, May 1-4, 1989.
- Short, JW. and P.M. Harris. 1996. Chemical Sampling and Analysis of Petroleum Hydrocarbons in Near-surface Seawater of Prince William Sound after the *Exxon Valdez* Oil Spill. pp. 17-28. In: S.D. Rice, R.B. Spies, D.A. Wolfe, and B.A. Wright (eds.), Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18.

- Simpson, M.R. and D.W. Kulka. 2001. Distribution and biomass of selected unregulated species occurring in the NAFO Regulatory Area and adjacent areas. NAFO SCR Doc. 01/162.
- Simpson, M.R. and D.W. Kulka. 2002. Status of three wolffish species (*Anarhichas lupus*, *A. minor* and *A. denticulatus*) in Newfoundland waters (NAFO Divisions 2GHJ3KLNOP). Can. Sci. Advis. Sec. Res. Doc. 2002/078.
- SINTEF. 2000. Deep Spill Joint Industry Project: Experimental Discharges of Gas and Oil at Helland Hansen. Report by SINTEF Applied Chemistry.
- SL Ross. 1989. Cohasset / Panuke Field Development Project: Risk, Behavior and Effects of Oil Spills. S.L. Ross Environmental Research Ltd.
- SL Ross 2006. The fate and behavior of hypothetical oil spills from exploration drilling on EL1081 and EL 1087. Unpubl. Rep. for LGL Limited and ConocoPhillips Canada. 18 p.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsbøll, J. Sigurjónsson, P.T. Stevick and N. Øien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). Mar. Mamm. Sci. 15(1):1-32.
- Smultega, M.A. and B. Würsig. 1995. Behavioral reactions of bottlenose dolphins to the Mega Borg oil spill, Gulf of Mexico 1990. Aquatic Mammals 21:171-181.
- Spraker, T.R., L.F. Lowry and K.J. Frost. 1994. Gross necropsy and histopathological lesions found in harbor seals. pp. 281-311. In: T.R. Loughlin (ed.). Marine mammals and the Exxon Valdez. Academic Press, San Diego. 395 p.
- St. Aubin, D.J. 1990. Physiologic and toxic effects on polar bears. pp. 235-239. In: J.R. Geraci and D.J. St. Aubin (eds.), Sea mammals and oil: confronting the risks. Academic Press, San Diego. 282 p.
- St. Aubin, D.J., J.R. Geraci, T.G. Smith and T.G. Friesen. 1985. How do bottlenose dolphins, *Tursiops truncatus*, react to oil films under different light conditions? Canadian Journal of Fisheries and Aquatic Sciences 42:430-436.
- St. Aubin, D.J., R.H. Stinson and J.R. Geraci. 1984. Aspects of the structure and composition of baleen, and some effects of exposure to petroleum hydrocarbons. Canadian Journal of Zoology 62:193-198.
- Stanley, D. R. and C. A. Wilson. 1990. A fishery-dependent based study of fish species composition and associated catch rate around oil and gas structures off Louisiana. U.S. Fisheries Bulletin. 88: 719-730.
- Steele, D.H. and W.A. Montevercchi. 1994. Leach's Storm-Petrels prey on mesopelagic (Mysidacea and Decapoda) crustaceans: possible implications for crustacean and avian distributions. Crustaceana 66:212-218.
- Stephenson, R. 1997. Effects of oil and other surface-active organic pollutants on aquatic birds. Environmental Conservation, 24: 121-129.
- Stewart, B.S. and S. Leatherwood. 1985. Minke whale *Balaenoptera acutorostrata* Lacépède, 1804. pp. 91-136. In: S.H. Ridgway and R. Harrison (eds.), Handbook of Marine Mammals. Vol. 3. The Sirenians and Baleen Whales. Academic Press, London, U.K. 362 p.
- Stewart, B.S., W.E. Evans, and F.T. Awbrey. 1982. Effects of man-made waterborne noise on behavior of belukha whales (*Delphinapterus leucas*) in Bristol Bay, Alaska. HSWRI Tech. Rep. 82-145. Rep. from Hubbs/Sea World Res. Inst., San Diego, CA, for Nat. Oceanic & Atmosph. Admin., Juneau, AK. 29 p. + Figs + Tables.
- Stobo, W.T., B. Beck and J.K. Horne. 1990. Seasonal movements of grey seals (*Halichoerus grypus*) in the northwest Atlantic. Can. Bull. Fish. Aquat. Sci. 222:199-213.
- Stubblefield, W.A., G.A. Hancock, H.H. Prince and R.K. Ringer. 1995. Effects of naturally weathered *Exxon Valdez* crude oil on Mallard reproduction. Environmental Toxicology and Chemistry, 14: 1951-1960.
- Sutcliffe, W.H., Jr. and P.F. Brodie. 1977. Whale distributions in Nova Scotia waters. Fish. Mar. Serv. Tech. Rep. No. 722. 83 p.
- Swail, V.R., A. Cox, and V.J. Cardone. 2003. Analysis of Wave Climate Trends and Variability. In: Advances in the Applications of Marine Climatology, WMO/TD-No. 1081, JCOMM Technical Report 13.
- Szaro, R.C., G. Hensler and G.H. Heinz. 1981. Effects of chronic ingestion of No. 2 fuel oil on Mallard Ducklings. Journal of Toxicology and Human Health, 7: 789-799.

- Szaro, R.C., M.P. Dieter and G.H. Heinz. 1978. Effects of chronic ingestion of South Louisiana Crude Oil on Mallard Ducklings. *Environmental Research*, 17: 426-436.
- Szymanski, M.D., D.E. Bain, K. Kiehl, S. Pennington, S. Wong, and K.R. Henry. 1999. Killer whale (*Orcinus orca*) hearing: auditory brainstem response and behavioral audiograms. *J. Acoust. Soc. Am.* 106(2):1134-1141.
- Thistle, D. and G.D.F. Wilson. 1996. Is the HEBBLE isopod fauna hydrodynamically modified? A second test. *Deep-Sea Res. I* 43(4): 545-554.
- Thistle, D., J.Y. Yingst, and K. Fauchald. 1985. A deep-sea benthic community exposed to strong near-bottom currents and the Scotian Rise (western Atlantic). *Mar. Geol.* 66: 91-112.
- Thistle, D., S.C. Ertman, and K. Fauchald. 1991. The fauna of the HEBBLE site: patterns in standing stock and sediment-dynamic effects. *Mar. Geol.* 99: 413-422.
- Thomas, V.G. and S.D. MacDonald. 1987. The breeding distribution and current population status of the Ivory Gull in Canada. *Arctic* 40:211-218.
- Thomson, D.H. and W.J. Richardson. 1995. Marine mammal sounds. pp. 159-204. In: W.J. Richardson, C.R. Greene, Jr., C.I. Malme and D.H. Thomson, *Marine Mammals and Noise*. Academic Press, San Diego, CA. 576 p.
- Tielmann, J., L.A. Miller, T. Kirketerp, R.A. Kastelein, P.T. Madsen, B.K. Nielsen and W.W.L. Au. 2002. Characteristics of echolocation signals used by a harbour porpoise (*Phocoena phocoena*) in a target detection experiment. *Aquat. Mamm.* 28(3):275-284.
- Townsend, D.W., A.C. Thomas, L.M. Mayer and M. Thomas. 2002. The Sea - Interdisciplinary Oceanography of the Northwest Atlantic Continental Shelf Waters. Volume 12. The Sea. Wiley.
- Trivelpiece, W.Z., R.G. Butler, D.S. Miller and D.B. Peakall. 1984. Reduced survival of chicks of oil-dosed adult Leach's Storm-petrels. *The Condor*, 86: 81-82.
- Trudel, K. 1985. Zooplankton. Part 3.3. In: W.S. Duval (ed.), *A Review of the Biological Fate and Effects of Oil in Cold Marine Environments*. Report by ESL Limited, S.L. Ross Environmental Research Ltd. and Artic Laboratories Ltd. for Environment Canada, Edmonton, AB. 242 p.
- Tufts, R.W. 1986. Birds of Nova Scotia, Third Edition. Nimbus Publishing. Nova Scotia Museum, Halifax. 478 pp.
- Valsecchi, E., P. Palsbøll, P. Hale, D. Glockner-Ferrari, M. Ferrari, P. Clapham, F. Larsen, D. Mattila, R. Sears, J. Sigurjónsson, M. Brown, P. Corkeron and B. Amos. 1997. Microsatellite genetic distances between oceanic populations of the humpback whale (*Megaptera novaeangliae*). *Mol. Biol. Evol.* 14(4):355-362.
- Vangilder, L.D. and T.J. Peterle. 1980. South Louisiana crude oil and DDE in the diet of Mallard Hens: Effects on reproduction and duckling survival. *Bulletin Environmental Contamination and Toxicology*, 25: 23-28.
- Vargo, S., P. Lutz, D. Odell, E. VanVleet and G. Bossart. 1986. Study of the effects of oil on marine turtles. Final report to Minerals Management Service MMS Contract No. 14-12-0001-30063. 181 p.
- von Ziegesar, O., E. Miller and M.E. Dahlheim. 1994. Impacts on humpback whales in Prince William Sound. pp. 173-191. In: T.R. Loughlin (ed.), *Marine mammals and the Exxon Valdez*. Academic Press, San Diego. 395 p.
- Wade, J.A. and B.C. MacLean. 1990. The Geology of the Southeastern Margin of Canada, Chapter 5 in *Geology of the Continental Margin of Eastern Canada*, M.J. Keen and G.L. Williams (ed.); Geological Survey of Canada, *Geology of Canada*, no. 2, p. 167-238.
- Wahlberg, M. 2002. The acoustic behaviour of diving sperm whales observed with a hydrophone array. *J. Exp. Mar. Biol. Ecol.* 281(1):53-62.
- Walker, J.L., C.W. Potter and S.A. Macko. 1999. The diets of modern and historic bottlenose dolphin populations reflected through stable isotopes. *Mar. Mamm. Sci.* 15(2):335-350.
- Walton, P., C.M.R. Turner, G. Austin, M.D. Burns and P. Monaghan. 1997. Sub-lethal effects of an oil pollution incident on breeding Kittiwakes *Rissa Tridactyla*. *Marine Ecology Progress Series*, 155: 261-268.
- Wang J.Y., D.E. Gaskin and B.N. White 1996. Mitochondrial DNA analysis of harbour porpoise, *Phocoena phocoena*, subpopulations in North American waters. *Can. J. Fish. Aquat. Sci.* 53:1632-1645.

- Wang, X.L., and V.R. Swail, 2002. Trends of Atlantic Wave Extremes as Simulated in a 40-Yr Wave Hindcast Using Kinematically Reanalysed Wind Fields.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam and M. Sano. 1993. Sperm whales associated with Gulf Stream features off the north-eastern USA shelf. *Fish. Oceanogr.* 2(2):101-105.
- Waring, G.T., J.M. Quintal and C.P. Fairfield (eds.). 2002. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2002. NOAA Tech. Memo. NMFS-NE-169. 318 p.
- Waring, G.T., R.M. Pace, J.M. Quintal, C.P. Fairfield and K. Maze-Foley (eds.). 2004. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2003. NOAA Tech. Memo. NMFS-NE-182. 300 p.
- Watanuki, Y. 1985. Breeding biology of Leach's Storm-Petrels on Daikoku Island, Hokkaido, Japan. *J. Yamashina Inst. Ornithol.* 17:9-22.
- Watkins, W.A. 1986. Whale reactions to human activities in Cape Cod waters. *Mar. Mamm. Sci.* 2(4):251-262.
- Watkins, W.A. 1981. Activities and underwater sounds of fin whales. *Sci. Rep. Whales Res. Inst. (Tokyo)* 33:83-117.
- Watkins, W.A. and K.E. Moore. 1982. An underwater acoustic survey for sperm whales (*Physeter catodon*) and other cetaceans in the southeast Caribbean. *Cetology* 46:1-7.
- Watkins, W.A. and K.E. Moore. 1983. Three right whales (*Eubalaena glacialis*) alternating at the surface. *J. Mammal.* 64(3):506-508.
- Watkins, W.A., P. Tyack and K.E. Moore. 1987. The 20-Hz signals of finback whales (*Balaenoptera physalus*). *J. Acoust. Soc. Am.* 82(6):1901-1912.
- Weber, D.D., D.J. Maynard, W.D. Gronlund and V. Konchin. 1981. Avoidance reactions of migrating adult Salmon to petroleum hydrocarbons. *Canadian Journal of Fisheries and Aquatic Sciences*, 38: 779-781.
- Weilgart, L. and H. Whitehead. 1992. Coda communication by sperm whales (*Physeter macrocephalus*) off the Galápagos Islands. *Can. J. Zool.* 71:744-752.
- Wells P.G. 1972. Influence of Venezuelan crude oil on Lobster larvae. *Marine Pollution Bulletin*, 3: 105-106.
- Wells, R.S. and M.D. Scott. 1999. Bottlenose dolphin *Tursiops truncatus* (Montagu, 1821). pp. 137-182. In: S. H. Ridgway and R. J. Harrison (eds.), *Handbook of Marine Mammals*. Vol. 6. The Second Book of Dolphins and the Porpoises. Academic Press, San Diego, CA. 486 p.
- Westgate, A.J. and K. A. Tolley. 1999. Geographical differences in organochlorine contaminants in harbour porpoises *Phocoena phocoena* from the western North Atlantic. *Mar. Ecol. Prog. Ser.* 177:255-268.
- Whitehead, H. 1993. The behavior of mature male sperm whales on the Galápagos breeding grounds. *Can. J. Zool.* 71:689-699.
- Whitehead, H. 2003. Sperm Whales: Social Evolution in the Ocean. University of Chicago Press, Chicago, IL. 431 p.
- Whitehead, H. and C. Carlson. 1988. Social behaviour of feeding finback whales off Newfoundland: comparisons with the sympatric humpback whale. *Can. J. Zool.* 66:217-221.
- Whitehead, H. and C. Glass. 1985. The significance of the southeast shoal of the Grand Bank to humpback whales and other cetacean species. *Can. J. Zool.* 63:2617-2625.
- Whitehead, H. and S. Waters. 1990. Social organisation and population structure of sperm whales off the Galápagos Islands, Ecuador (1985-1987). *Rep. Int. Whal. Commn Spec. Iss.* 12:249-257.
- Whitehead, H. and T. Wimmer. 2005. Heterogeneity and the mark-recapture assessment of the Scotian Shelf population of northern bottlenose whales (*Hyperoodon ampullatus*). *Canadian Journal of Fisheries and Aquatic Science* 62(11):2573-2585.
- Whitehead, H. S. Brennan and D. Grover. 1992. Distribution and behaviour of male sperm whales on the Scotian Shelf, Canada. *Can. J. Zool.* 70:912-918.
- Whitehead, H., A. Faucher, S. Gowans and S. McCarrey. 1997. Status of the northern bottlenose whale, *Hyperoodon ampullatus*, in the Gully, Nova Scotia. *Can. Field-Natur.* 111(2):287-292.

- Whitehead, H., W.D. Bowen, S.K. Hooker and S. Gowans. 1998. Marine mammals. pp. 186-221. In: W.G. Harrison and D.G. Fenton (eds.), The Gully: a scientific review of its environment and ecosystem. DFO, Ottawa, ON. Canadian Stock Assessment Secretariat Research Document 98/83.
- Wiens, J.A. 1995. Recovery of seabirds following the *Exxon Valdez* oil spill: An overview. pp. 854-893. In: P.G. Wells, J.N. Butler and J.S. Hughes (eds.), Exxon Valdez oil spill: fate and effects in Alaskan waters, ASTM STP 1219. American Society for Testing and Materials, Philadelphia. 965 p.
- Wiens, J.A., T.O. Crist, R.H. Day, S.M. Murphy and G.D. Hayward. 1996. Effects of the *Exxon Valdez* oil spill on marine bird communities in Prince William Sound. Alaska. Ecological Applications, 6: 828-841.
- Wiese, F.K. and P.C. Ryan. 2003. Chronic oil pollution in Newfoundland assessed through beached bird surveys 1984-1999. Marine Pollution Bulletin 46:1090-1101.
- Wiese, F.K., G.J. Robertson and A.J. Gaston. 2004. Impacts of marine oil pollution and the murre hunt in Newfoundland on the thick-billed murre *Uria lomvia* populations in the eastern Canadian Arctic. Biological Conservation, 116: 205-216.
- Wiley, R.H. and D.S. Lee. 1998. Long-tailed Jaeger. The Birds of North America, No. 365. The Academy of Natural Sciences of Philadelphia. 28 p.
- Williams, A.S. 1985. Rehabilitating oiled seabirds. In: J. Burridge and M. Kane (eds.). A Field Manual. International Bird Rescue Research Center, Berkely CA. 79 p.
- Williams, U. and J. Chardine. n.d. The Leach's Storm-Petrel: General information and handling instructions.
- Wimmer, T. and H. Whitehead. 2004. Movements and distribution of northern bottlenose whales, *Hyperoodon ampullatus*, on the Scotian Slope and in adjacent waters. Canadian Journal of Zoology 82:1782-1794.
- Winn, H.E. and N.E. Reichley. 1985. Humpback whale *Megaptera novaeangliae* (Borowski, 1781). pp. 241-273. In: S.H. Ridgway and R. Harrison (eds.), Handbook of Marine Mammals. Vol. 3. The Sirenians and Baleen Whales. Academic Press, London, U.K. 362 p.
- Winn, H.E., C.A. Price and P.W. Sorensen. 1986. The distributional biology of the right whale (*Eubalaena glacialis*) in the western North Atlantic. Rep. Int. Whal. Commn Spec. Iss. 10:129-138.
- Winn, H.E., J.D. Goodyear, R.D. Kenney and R.O. Petricig. 1994. Dive patterns of tagged right whales in the Great South Channel. Cont. Shelf Res. 15(4/5):593-611.
- Winterstein, S.R., T.Ude, C.A. Cornell, P. Jarager, and S. Haver. 1993. Environmental Parameters for Extreme Response: Inverse FORM Omission Factors. ICOSar-3, Paper no 509/11/3. Innsbruck, 3-12 August 1993
- Witzell, W.N. 1999. Distribution and relative abundance of sea turtles caught incidentally by the U.S. pelagic longline fleet in the western North Atlantic Ocean, 1992-1995. Fish. Bull. 97:200-211.
- Woodley, T.H. and D.E. Gaskin. 1996. Environmental characteristics of North Atlantic right and fin whale habitat in the lower Bay of Fundy, Canada. Can. J. Zool. 74:75-84.
- Würsig, B. 1990. Cetaceans and oil: ecologic perspectives. pp. 129-165. In: J.R. Geraci and D.J. St. Aubin (eds.), Sea Mammals and Oil: Confronting the Risks. Academic Press, San Diego. 282 p.
- Yashayaev, I. 2002. Oceanographic conditions in the Labrador Sea in the 1990s and in the context of interdecadal variability. NAFO SCR Doc. 02/51, 1 p.
- Yochem, P.K. and S. Leatherwood. 1985. Blue whale. pp. 193-240. In: S.H. Ridgway and R. Harrison (eds.), Handbook of Marine Mammals. Vol. 3. The Sirenians and Baleen Whales. Academic Press, New York. 362 p.
- Yochem, P.K., B.S. Stewart, R.L. DeLong and D.P. DeMaster. 1987. Diel haulout patterns and site fidelity of harbor seals (*Phoca vitulina richardsi*) on San Miguel Island, California, in autumn. Marine Mammal Science 3:323-332.
- Zakardjian, B. A., J. Sheng, J.A. Runge, K.R. Thompson, Y. Gratton, I.A. McLaren and S. Plourde. 2003. Effects of temperature and circulation on the population dynamics of *Calanus finmarchicus* in the Gulf of St. Lawrence and Scotian Shelf: study with a coupled, three-dimensional hydrodynamic, stage-based life-history model. J. Geophys. Res. 108:1-22.
- Zwanenburg, K., S. Wilson, R. Branton, and P. Brien. 2003. Halibut on the Scotian Shelf and southern Grand Banks-current estimates of population status. Can. Sci. Advis. Sec. Res. Doc. 2003/046.

Personal Communication

Belore, R.	SL Ross
Brodie, B.	April 2005
D'Eon, Pierre	Fisherman
Grover, W.	W. T. Grover Fisheries Ltd, June 2004 & May 2006
Hart, D.	June 2004
Henneberry, A. and D. Hart	March 2003
Herbert, G.	June 2004
Lawson, J.	DFO
Linegar, P.	January 2006
Lugar, J.	April 2006
Penney, C.	June 2004
Power, D.	DFO biologist
Reddin, D.	DFO research scientist
Thomas, Peter	CWS
Way, E. and D. Stansbury	June 2004

Websites:

COSEWIC (<http://www.cosepac.gc.ca/index.htm>)

DFO Quota Reports accessed 15 June 2006 (http://www.nfl.dfo-mpo.gc.ca/publications/reports_rapports/cod_2006.htm).

Marine Mammal Protection Act of 1972 (<http://www.nmfs.noaa.gov/pr/laws/mmqa.htm>).

NOAA Fisheries Office of Protected Resources web site (<http://www.nmfs.noaa.gov/pr/species/turtles/>),

Nova Scotia Leatherback Turtle Working Group (<http://www.seaturtle.ca>).

Online registry of shipwrecks (<http://users.accesscomm.ca/shipwreck/index.htm>).

SARA (http://www.sararegistry.gc.ca/default_e.cfm)

US Endangered Species Act of 1973 (http://www.nmfs.noaa.gov/pr/species/esa_species.htm)

US Minerals Management Service (MMS) <http://www.mms.gov/stats/index.htm>.

US OCS database, <http://www.mms.gov/ntls/Attachments/ntl96-2n.htm>.