

Chief Safety Officer Decision
(Application for Substitution, Equivalency, or Exemption)

Date: 30 July 2015

C-NLOPB Reference: 2015-RQ-0113

Applicant: Technip

Applicant Reference: 063058C001-RQF-03 (Technip)/UBNA-RQF-03 (HMDC)

Installation Name: M/V Siem Daya 1

Authority: *Canada-Newfoundland and Labrador Atlantic Accord Implementation Act, subsection 151(1) & section 205.069*

Canada-Newfoundland and Labrador Atlantic Accord Implementation Newfoundland and Labrador Act, subsection 146(1) and section 201.66

Regulation: Section 3(1) & 3(2) of the *Canada–Newfoundland and Labrador Offshore Marine Installation and Structures Transitional Regulations*

Decision:

The Chief Safety Officer accepts the Applicant's, the owner of the *M/V Siem Daya 1*, use of 6 sets of firefighter equipment that meet the requirements of "*GL Rules & Guidelines 1-Ship technology, Part1, Chapter 2 Section 12*", "*SOLAS Reg II-2, Part C, Regulation 10, "Fire Safety Systems (FSS) Code, Chapter 3*" , and "*EN 469*" in lieu of the "*Canada–Newfoundland and Labrador Offshore Marine Installation and Structures Transitional Regulations*" requirement which specifies the operator must ensure that a workplace that is a manned installation be provided with at least 10 sets of firefighter equipment that meet the requirements of "*National Fire Protection Association 1971, Standard on Protective Clothing for Structural Fire Fighting*", "*Standard on Gloves for Structural Fire Fighting*"; and "*CAN/CSA-Z94.1-05, Industrial Protective Headwear for Performance, Selection, Care and Use*".

This substitution is effective from the date herein until the *Canada–Newfoundland and Labrador Offshore Marine Installation and Structures Transitional Regulations* are repealed or that any representations made in the application for substitution has changed, whichever is earlier. For greater certainty, exemptions from part III.1 Regulations made pursuant to the Accords Acts will no longer be granted after December 31, 2019.


Chief Safety Officer