



Chief Safety Officer Decision (Regulatory Equivalence)

Date: 27 May 2015

C-NLOPB Reference: 2015-RQ-0018

Applicant: Fugro GeoSurveys

Applicant Reference: FS-OSH-003

Installation Name: Fugro Searcher

Authority: *Canada-Newfoundland and Labrador Atlantic Accord Implementation Act, subsection 151(1) & section 205.069*
Canada-Newfoundland and Labrador Atlantic Accord Implementation Newfoundland and Labrador Act, subsection 146(1) and section 201.66

Regulation: *Section 190 of the Canada-Newfoundland and Labrador Offshore Marine Installations and Structures Occupational Health and Safety Transitional Regulations*

Decision:

The Chief Safety Officer accepts the Applicant's, the owner of the Fugro Searcher, the use of portable electrical tools that meet the requirements of *IEC/EN 60745-2* in lieu of the Transitional OSH Regulations requirement which specifies the use of portable electrical tools that meet the requirements of *CAN/CSA-C22.2 No 60745-2*.

This substitution is effective from the date herein until the *Canada – Newfoundland and Labrador Marine Installations and Structures Occupational Health and Safety Transitional Regulations* are repealed or that any representations made in the application for substitution has changed, whichever is earlier. For greater certainty, exemptions from Part III.1 Regulations made pursuant to the *Accords Acts* will no longer be granted after December 31, 2019.



Chief Safety Officer