


Pelagic Seabirds of Atlantic Canada

Shearwaters and Fulmars

Greater Shearwater




White Hagdown, White Bawk

Manx Shearwater




Hagdown, Bawk

Sooty Shearwater



Black Hagdown, Black Bawk

Cory's Shearwater



Hagdown, Bawk

Greater (left) and Manx Shearwater



Cory's (left) and Manx Shearwater



Northern Fulmar




Noddy, John Down

Greater Shearwater



Storm-Petrels

Wilson's



Leach's



Mother Carey's Chicken, Carey Chick

Jaegers and Skuas

Pomarine Jaeger




both have slow steady wing beats

Parasitic Jaeger



Long-tailed Jaeger



Great Skua



Sea Hen, Grand Goose

All Jaegers are commonly known as Shit-eater, Shit King and Bo'sun Bird

Gannets

Northern

Adult



Immature



Gaunt, Gannet

Phalaropes


Red-necked

Immature

Winter adult

Red

Winter adult




Whale Bird

Red-necked

Winter adult


Immature





Gale Bird, Gill Bird, Poverty Bird

Black wing-tipped Gulls

Black-legged Kittiwake


Breeding adult 


Winter adult  dark patch behind eye

Immature (1st winter)  bold black wing pattern, black bill

Ticklace, Tickle ass


Herring Gull


Adult  has brownish head in winter, more uniform brown than GBBG in 1st and 2nd winter

Immature (1st winter)  black bill in 1st winter and black tip in 2nd winter for both species


Sea Gull, Blue Gull, Glue Gull, Bluey

Great Black-backed Gull

Adult  marbled underwing coverts

Immature (2nd or 3rd winter)  Saddleback, Saddler

Ivory Gull


Adult  uniformly white


Immature  dusky face, dark spots on wing & tail tip

Ice Partridge, Ice Gull, Seal Bird

White-winged Gulls


Glaucous Gull


Adult  flatter head than ICGU, longer & larger bill than ICGU

Immature (2nd winter) 

Large Ice Gull, Burgomaster, White Minister


Iceland Gull


Adult 

Immature (1st winter)  black bill in 1st winter and black tip in 2nd winter for both species

White-winged Gull, Ice Gull


Thick-billed Murre

 dark cheeks, white gape line

Dovekie 


Bullbird

Common Murre

 white behind eye


Murre

Razorbill

 white behind eye, deep bill


Tinker


Black Guillemot

 whitish head, white patch visible in flight in winter and summer

Sea Pigeon, Pigeon


Atlantic Puffin


Adult  larger, more colourful bill than immature

Immature 


Sea Parrot, Hatchet-bill

Common Murre




 can appear browner than TBMU and RAZO

Thick-billed Murre


 white gape line

Turre


Razorbill




Black Guillemot



Atlantic Puffin





Names in green refer to Newfoundland and Labrador common names